2027
Prior Authorization Criteria
Criterios de autorización previa



VERDA





HPMS Approved Formulary File Submission ID:
00027344 Version **7** Approved **10/23/2026**

This formulary was updated on **11 /01/2026.** For more recent information or other questions, please contact Member Service at 1-888-256-5123 (TTY users should call 711), 7 days a week / 8am – 8pm PST, or visit www.Verdahealthcare.com.

Verda Health Plan
2027 Formulary - Prior Authorization Criteria

Verda Health Plan requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from Verda Health Plan before you fill your prescriptions. If you don't get approval, Verda Health Plan may not cover the drug.

This listing provides the drugs that are subject to prior authorization on our formulary and the criteria for the prior authorization.

For information on obtaining a coverage determination or an exception to a coverage determination please call Verda Health Member Services at 1-888-256-5123 or, for TTY/ TDD users 711. Our hours are 8:00 am to 8:00 pm 7 days a week or visit www.Verdahealthplan.com.

Verda Health Plan
Formulario 2027 - Criterios de autorización previa

Verda Health Plan requiere que usted o su médico obtengan autorización previa para ciertos medicamentos. Esto significa que deberá obtener la aprobación de Verda Health Plan antes de surtir sus recetas. Si no obtiene la aprobación, es posible que Verda Health Plan no cubra el medicamento.

Esta lista proporciona los medicamentos que están sujetos a autorización previa en nuestro formulario y los criterios para la autorización previa.

Para obtener información sobre cómo obtener una determinación de cobertura o una excepción a una determinación de cobertura, llame a Servicios para Miembros de Verda Health al 1-888-256-5123 o, para usuarios de TTY/TDD al 711. Nuestro horario es de 8:00 am a 8:00 pm los 7 días de la semana o visita www.Verdahealthplan.com

ABALOPARATIDE

Products Affected

- TYMLOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ABEMACICLIB

Products Affected

- VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ABIRATERONE

Products Affected

- *abiraterone oral tablet 250 mg*
- *abirtega*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC HIGH-RISK CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC), METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ABIRATERONE SUBMICRONIZED

Products Affected

- YONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ACALABRUTINIB

Products Affected

- CALQUENCE (ACALABRUTINIB MAL)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ADAGRASIB

Products Affected

- KRAZATI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ADALIMUMAB

Products Affected

- HUMIRA PEN
- HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML
- HUMIRA(CF)
- HUMIRA(CF) PEN
- HUMIRA(CF) PEN CROHNS-UC-HS
- HUMIRA(CF) PEN PEDIATRIC UC
- HUMIRA(CF) PEN PSOR-UV-ADOL HS

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ADALIMUMAB-AATY

Products Affected

- *adalimumab-aaty*
- *adalimumab-aaty(cf) ai crohns*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ADALIMUMAB-BWWD

Products Affected

- HADLIMA
- HADLIMA PUSHTOUCH
- HADLIMA(CF)
- HADLIMA(CF) PUSHTOUCH

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

AFATINIB

Products Affected

- GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ALECTINIB

Products Affected

- ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ALPELISIB-PIQRAY

Products Affected

- PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AMBRISENTAN

Products Affected

- *ambrisentan*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

AMIKACIN LIPOSOMAL INH

Products Affected

- ARIKAYCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MYCOBACTERIUM AVIUM COMPLEX (MAC) LUNG DISEASE: RENEWAL: 1) NO POSITIVE MAC SPUTUM CULTURE AFTER CONSECUTIVE NEGATIVE CULTURES, AND 2) IMPROVEMENT IN SYMPTOMS. ADDITIONALLY, FOR FIRST RENEWAL, APPROVAL REQUIRES AT LEAST ONE NEGATIVE SPUTUM CULTURE FOR MAC BY SIX MONTHS OF ARIKAYCE TREATMENT. FOR SECOND AND SUBSEQUENT RENEWALS, APPROVAL REQUIRES AT LEAST THREE NEGATIVE SPUTUM CULTURES FOR MAC BY 12 MONTHS OF ARIKAYCE TREATMENT.
Age Restrictions	
Prescriber Restrictions	MAC LUNG DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AMIVANTAMAB-HYALURONIDASE-LPUJ

Products Affected

- RYBREVANT FASPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AMIVANTAMAB-VMJW

Products Affected

- RYBREVANT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ANAKINRA

Products Affected

- KINERET

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ANIFROLUMAB-FNIA

Products Affected

- SAPHNELO PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	SYSTEMIC LUPUS ERYTHEMATOSUS (SLE): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	SLE: INITIAL: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR SLE. RENEWAL: 1) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SLE, 2) CLINICAL IMPROVEMENT WHILE ON THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

APALUTAMIDE

Products Affected

- ERLEADA ORAL TABLET 240 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC), METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

APOMORPHINE - ONAPGO

Products Affected

- ONAPGO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

APREMILAST

Products Affected

- OTEZLA
- OTEZLA STARTER
- OTEZLA XR
- OTEZLA XR INITIATION

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ARMODAFINIL

Products Affected

- *armodafinil*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ASCIMINIB

Products Affected

- SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED OR T315I MUTATION PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND SCEMBLIX IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ASFOTASE ALFA

Products Affected

- STRENSIQ SUBCUTANEOUS SOLUTION 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HYPOPHOSPHATASIA (HPP): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST, GENETICIST, OR METABOLIC SPECIALIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: PERINATAL/INFANTILE-ONSET HPP: 1) 6 MONTHS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TISSUE NON-SPECIFIC ALKALINE PHOSPHATASE (TNSALP) (ALPL) GENE MUTATION AS CONFIRMED BY GENETIC TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALKALINE PHOSPHATASE (ALP) LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PYRIDOXAL-5'-PHOSPHATE (PLP) LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PHOSPHOETHANOLAMINE (PEA) LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC CHEST DEFORMITY, (II) CRANIOSYNOSTOSIS, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OF VITAMIN B6 DEPENDENT SEIZURES, (V) NEPHROCALCINOSIS OR HISTORY OF ELEVATED SERUM CALCIUM, (VI) HISTORY OR PRESENCE OF NON-TRAUMATIC POSTNATAL FRACTURE AND DELAYED FRACTURE HEALING. JUVENILE-ONSET HPP: 1) 18 YEARS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TNSALP ALPL GENE MUTATION AS CONFIRMED BY GENETIC

PA Criteria	Criteria Details
	TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALP LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PLP LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PEA LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC DEFORMITIES, (II) PREMATURE LOSS OF PRIMARY TEETH PRIOR TO 5 YEARS OF AGE, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OR PRESENCE OF NON-TRAUMATIC FRACTURES OR DELAYED FRACTURE HEALING. ALL INDICATIONS: 1) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE, 2) CALCIUM OR PHOSPHATE LEVELS ARE NOT BELOW THE NORMAL RANGE, 3) NOT HAVE A TREATABLE FORM OF RICKETS. RENEWAL: ALL INDICATIONS: 1) IMPROVEMENT IN THE SKELETAL CHARACTERISTICS OF HPP, AND 2) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ATOGEPANT

Products Affected

- QULIPTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AVACOPAN

Products Affected
- TAVNEOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ANTI-NEUTROPHIL CYTOPLASMIC AUTOANTIBODY (ANCA)-ASSOCIATED VASCULITIS: INITIAL: ANCA SEROPOSITIVE (ANTI-PR3 OR ANTI-MPO).
Age Restrictions	
Prescriber Restrictions	ANCA-ASSOCIATED VASCULITIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ANCA-ASSOCIATED VASCULITIS: RENEWAL: CONTINUES TO BENEFIT FROM THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AVAPRITINIB

Products Affected

- AYVAKIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AVUTOMETINIB-DEFACTINIB

Products Affected

- AVMAPKI
- AVMAPKI-FAKZYNJA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AXATILIMAB-CSFR

Products Affected

- NIKTIMVO INTRAVENOUS SOLUTION 10 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CHRONIC GRAFT VS HOST DISEASE (CGVHD): 1) FAILURE OF AT LEAST TWO LINES OF SYSTEMIC THERAPY, ONE OF WHICH MUST BE A TRIAL OF OR CONTRAINDICATION TO JAKAFI, AND 2) NO CONCURRENT USE WITH JAKAFI, REZUROCK, OR IMBRUVICA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

AXITINIB

Products Affected

- INLYTA ORAL TABLET 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AZACITIDINE

Products Affected

- ONUREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AZTREONAM INHALED

Products Affected

- CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	7 YEARS OF AGE OR OLDER
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BEDAQUILINE

Products Affected

- SIRTURO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	N/A
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BELIMUMAB

Products Affected

- BENLYSTA SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

BELUMOSUDIL

Products Affected

- REZUROCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CHRONIC GRAFT VS HOST DISEASE (CGVHD): 1) FAILURE OF AT LEAST TWO LINES OF SYSTEMIC THERAPY, ONE OF WHICH MUST BE A TRIAL OF OR CONTRAINDICATION TO JAKAFI, AND 2) NO CONCURRENT USE WITH JAKAFI, NIKTIMVO, OR IMBRUVICA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

BELZUTIFAN

Products Affected

- WELIREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BENDAMUSTINE

Products Affected

- *bendamustine intravenous recon soln 25 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BENRALIZUMAB

Products Affected

- FASENRA
- FASENRA PEN

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

BETAINE

Products Affected

- *betaine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BEXAROTENE

Products Affected

- *bexarotene*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BINIMETINIB

Products Affected

- MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BORTEZOMIB

Products Affected

- *bortezomib injection*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BOSUTINIB

Products Affected

- BOSULIF ORAL CAPSULE 100 MG, 50 MG
- BOSULIF ORAL TABLET 100 MG, 500 MG
- *bosutinib oral tablet 100 mg, 400 mg, 500 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND BOSULIF IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

BRIGATINIB

Products Affected

- ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG
- ALUNBRIG ORAL TABLETS,DOSE PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BUDESONIDE-TARPEYO

Products Affected

- TARPEYO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

C1 ESTERASE INHIBITOR-HAEGARDA

Products Affected

- HAEGARDA SUBCUTANEOUS
  RECON SOLN 2,000 UNIT, 3,000 UNIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): INITIAL: 1) TYPE I OR II HAE CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTS: C1-INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1-INH FUNCTIONAL LEVELS, C1Q, OR 2) TYPE III HAE CONFIRMED BY: (A) RECURRENT, NON-URTICARIAL ANGIOEDEMA INVOLVING THE SKIN, GASTROINTESTINAL TRACT, OR AIRWAY, CONSISTENT WITH BRADYKININ-MEDIATED HAE AND ATTACKS NOT EXPLAINED BY HISTAMINERGIC/URTICARIAL ANGIOEDEMA, AND (B) OTHER CAUSES OF ANGIOEDEMA HAVE BEEN EXCLUDED, INCLUDING ACE-INHIBITOR/ARB-ASSOCIATED ANGIOEDEMA, ACQUIRED C1-INH DEFICIENCY, AND MAST-CELL/HISTAMINERGIC ANGIOEDEMA.
Age Restrictions	
Prescriber Restrictions	HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, IMMUNOLOGIST, ALLERGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	HAE: INITIAL/RENEWAL: NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

CABOZANTINIB CAPSULE

Products Affected

- COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CABOZANTINIB TABLET

Products Affected

- CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CANNABIDIOL

Products Affected

- EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: DRAVET SYNDROME (DS), LENNOX-GASTAUT SYNDROME (LGS), TUBEROUS SCLEROSIS COMPLEX (TSC): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: LGS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

CAPIVASERTIB

Products Affected

- TRUQAP

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CAPMATINIB

Products Affected

- TABRECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CARGLUMIC ACID

Products Affected

- *carglumic acid*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

CERITINIB

Products Affected

- ZYKADIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CLOBAZAM-SYMPAZAN

Products Affected

- SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: LENNOX-GASTAUT SYNDROME (LGS): THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	LGS: INITIAL: CONTRAINDICATION TO OR UNABLE TO SWALLOW CLOBAZAM TABLETS OR SUSPENSION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

COBIMETINIB

Products Affected

- COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CORTICOTROPIN-CORTROPHIN

Products Affected

- CORTROPHIN GEL INJECTION

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

CRIZOTINIB CAPSULE

Products Affected

- XALKORI ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CRIZOTINIB PELLETS

Products Affected

- XALKORI ORAL PELLET 150 MG, 20 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NON-SMALL CELL LUNG CANCER (NSCLC), ANAPLASTIC LARGE CELL LYMPHOMA (ALCL), INFLAMMATORY MYOFIBROBLASTIC TUMOR (IMT): UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DABRAFENIB CAPSULES

Products Affected

- TAFINLAR ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DABRAFENIB SUSPENSION

Products Affected

- TAFINLAR ORAL TABLET FOR SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	UNABLE TO SWALLOW TAFINILAR CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DACOMITINIB

Products Affected

- VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE-INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DALFAMPRIDINE

Products Affected

- *dalfampridine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	MULTIPLE SCLEROSIS (MS): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	MS: INITIAL: HAS SYMPTOMS OF A WALKING DISABILITY (E.G., MILD TO MODERATE BILATERAL LOWER EXTREMITY WEAKNESS, UNILATERAL WEAKNESS PLUS LOWER EXTREMITY OR TRUNCAL ATAXIA). RENEWAL: IMPROVEMENT IN WALKING ABILITY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DARAXONRASIB

Products Affected

- RASONQUE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	METASTATIC PANCREATIC ADENOCARCINOMA: PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DAROLUTAMIDE

Products Affected
- NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC), METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DASATINIB-SPRYCEL

Products Affected

- *dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND DASATINIB IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DECITABINE/CEDAZURIDINE

Products Affected

- INQOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DEFERASIROX

Products Affected

- *deferasirox oral granules in packet*
- *deferasirox oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 1000 MCG/L. CHRONIC IRON OVERLOAD IN NON-TRANSFUSION DEPENDENT THALASSEMIA (NTDT): 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS), AND 2) LIVER IRON CONCENTRATION (LIC) OF 5 MG FE/G OF LIVER DRY WEIGHT OR GREATER. RENEWAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 500 MCG/L. NTDT: 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS) OR 2) LIC OF 3 MG FE/G OF LIVER DRY WEIGHT OR GREATER.
Age Restrictions	
Prescriber Restrictions	INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS OR NTDT: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR HEMATOLOGIST/ONCOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS OR NTDT: DEFERASIROX SPRINKLE PACKETS: TRIAL OF OR CONTRAINDICATION TO GENERIC DEFERASIROX ORAL TABLET OR TABLET FOR ORAL SUSPENSION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

DENOSUMAB-BMWO - OSENVELT

Products Affected

- OSENVELT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DEUTETRABENAZINE

Products Affected

- AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG
- AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG
- AUSTEDO XR TITRATION KT(WK1-4)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HUNTINGTON DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST. TARDIVE DYSKINESIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST.
Coverage Duration	PLAN YEAR
Other Criteria	TARDIVE DYSKINESIA: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DIAZEPAM

Products Affected

- VALTOCO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	EPILEPSY: AGES 12 YEARS OR OLDER: TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: NAYZILAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DICLOFENAC TOPICAL SOLUTION

Products Affected

- *diclofenac sodium topical solution in metered-dose pump*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	OSTEOARTHRITIS OF THE KNEE: TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF DICLOFENAC SODIUM 1.5% TOPICAL DROPS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DIHYDROERGOTAMINE - NASAL

Products Affected

- *dihydroergotamine nasal*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	ACUTE MIGRAINE TREATMENT: 1) NO CONCURRENT USE WITH ANY OTHER DIHYDROERGOTAMINE OR ERGOTAMINE MEDICATIONS, AND 2) TRIAL OF OR CONTRAINDICATION TO BOTH OF THE FOLLOWING PREFERRED AGENTS: TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), CGRP INHIBITOR FOR ACUTE MIGRAINE TREATMENT (NURTEC ODT, UBRELVY).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DIMETHYL FUMARATE

Products Affected

- *dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 120 mg (14)- 240 mg (46), 240 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DIROXIMEL FUMARATE

Products Affected

- VUMERITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DORDAVIPRONE

Products Affected

- MODEYSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DRONABINOL CAPSULE

Products Affected

- *dronabinol oral capsule*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NAUSEA AND VOMITING ASSOCIATED WITH CANCER CHEMOTHERAPY: TRIAL OF OR CONTRAINDICATION TO ONE ANTIEMETIC THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DROXIDOPA

Products Affected

- *droxidopa*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

DUPILUMAB

Products Affected

- DUPIXENT PEN
- DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

DUVELISIB

Products Affected

- COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

EFLORNITHINE

Products Affected

- IWILFIN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ELACESTRANT

Products Affected

- ORSERDU ORAL TABLET 345 MG, 86 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ELAGOLIX

Products Affected

- ORILISSA ORAL TABLET 150 MG, 200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
Age Restrictions	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 18 YEARS OF AGE OR OLDER.
Prescriber Restrictions	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, AND 2) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND A PROGESTIN-CONTAINING PREPARATION. RENEWAL: 1) IMPROVEMENT IN PAIN ASSOCIATED WITH ENDOMETRIOSIS WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ELAPEGADEMASE-LVLR

Products Affected

- REVCOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ADENOSINE DEAMINASE SEVERE COMBINED IMMUNE DEFICIENCY (ADA-SCID): INITIAL: ADA-SCID AS MANIFESTED BY: 1) CONFIRMATORY GENETIC TEST, OR 2) SUGGESTIVE LABORATORY FINDINGS (E.G., ELEVATED DEOXYADENOSINE NUCLEOTIDE [DAXP] LEVELS, LYMPHOPENIA) AND HALLMARK SIGNS/SYMPTOMS (E.G., RECURRENT INFECTIONS, FAILURE TO THRIVE, PERSISTENT DIARRHEA).
Age Restrictions	
Prescriber Restrictions	ADA-SCID: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH IMMUNOLOGIST, HEMATOLOGIST/ONCOLOGIST, OR PHYSICIAN SPECIALIZING IN INHERITED METABOLIC DISORDERS.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ADA-SCID: RENEWAL: 1) IMPROVEMENT OR MAINTENANCE OF IMMUNE FUNCTION FROM BASELINE, AND 2) HAS NOT RECEIVED SUCCESSFUL HCT OR GENE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ELEXACAFTOR-TEZACAFTOR-IVACAFTOR

Products Affected

- TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL
- TRIKAFTA ORAL TABLETS, SEQUENTIAL

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ELTROMBOPAG - PROMACTA

Products Affected

- *eltrombopag olamine oral powder in packet 12.5 mg, 25 mg*
- *eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ENASIDENIB

Products Affected

- IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ENCORAFENIB

Products Affected

- BRAFTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ENSARTINIB

Products Affected

- ENSACOVE ORAL CAPSULE 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ENTRECTINIB CAPSULES

Products Affected

- ROZLYTREK ORAL CAPSULE 100 MG, 200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ENTRECTINIB PELLETS

Products Affected

- ROZLYTREK ORAL PELLETS IN PACKET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), SOLID TUMORS: 1) TRIAL OF OR CONTRAINDICATION TO ROZLYTREK CAPSULES MADE INTO AN ORAL SUSPENSION, AND 2) DIFFICULTY OR UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ENZALUTAMIDE

Products Affected

- XTANDI ORAL CAPSULE
- XTANDI ORAL TABLET 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	NON-METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (NMCSPC): HIGH RISK FOR METASTASIS (I.E. PSA DOUBLING TIME OF 9 MONTHS OR LESS). METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC), NON-METASTATIC CRPC (NMCRPC), METASTATIC CSPC (MCSPC), NMCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EPOETIN ALFA-EPBX

Products Affected

- RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ERDAFITINIB

Products Affected

- BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ERENUMAB-AOOE

Products Affected

- AIMOVIG AUTOINJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ERLOTINIB

Products Affected

- *erlotinib oral tablet 100 mg, 150 mg, 25 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ETANERCEPT

Products Affected

- ENBREL MINI
- ENBREL SUBCUTANEOUS SOLUTION
- ENBREL SUBCUTANEOUS SYRINGE
- ENBREL SURECLICK

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ETRASIMOD

Products Affected

- VELSIPITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	ULCERATIVE COLITIS (UC): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	UC: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: SELARSDI/YESINTEK/OTULFI, XELJANZ, HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EVEROLIMUS-AFINITOR

Products Affected

- *everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*
- *torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*
- *yulithira oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

EVEROLIMUS-AFINITOR DISPERZ

Products Affected

- *everolimus (antineoplastic) oral tablet for suspension*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TUBEROUS SCLEROSIS COMPLEX (TSC) ASSOCIATED PARTIAL-ONSET SEIZURES: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	TSC ASSOCIATED PARTIAL-ONSET SEIZURES: INITIAL: TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENTS: 1) EPIDIOLEX, AND 2) ONE OTHER ANTIEPILEPTIC AGENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FECAL MICROBIOTA CAPSULE

Products Affected

- VOWST

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

FEDRATINIB

Products Affected

- INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

FENFLURAMINE

Products Affected

- FINTEPLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: DRAVET SYNDROME, LENNOX-GASTAUT SYNDROME (LGS): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: LGS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FENTANYL CITRATE

Products Affected

- *fentanyl citrate buccal lozenge on a handle*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CANCER RELATED PAIN: 1) CURRENTLY ON A MAINTENANCE DOSE OF CONTROLLED-RELEASE OPIOID PAIN MEDICATION, AND 2) TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE IMMEDIATE-RELEASE ORAL OPIOID PAIN AGENT OR PATIENT HAS DIFFICULTY SWALLOWING TABLETS/CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FEZOLINETANT

Products Affected

- VEOZAH

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

FILGRASTIM-AAFI

Products Affected

- NIVESTYM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FINERENONE

Products Affected

- KERENDIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: HEART FAILURE (HF): 1) NEW YORK HEART ASSOCIATION (NYHA) CLASS II-IV, AND 2) LEFT VENTRICULAR EJECTION FRACTION OF AT LEAST 40 PERCENT NOT DUE TO AN UNDERLYING CAUSE (E.G., INFILTRATIVE CARDIOMYOPATHY, HYPERTROPHIC CARDIOMYOPATHY, VALVULAR DISEASE, PERICARDIAL DISEASE, HIGH-OUTPUT HEART FAILURE).
Age Restrictions	
Prescriber Restrictions	INITIAL: HF: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	CHRONIC KIDNEY DISEASE (CKD) ASSOCIATED WITH TYPE 2 DIABETES (T2D): INITIAL: HISTORY OF AND WILL CONTINUE ON, HAS A CONTRAINDICATION, OR INTOLERANCE TO AN ANGIOTENSIN CONVERTING ENZYME INHIBITOR (ACE-I) OR AN ANGIOTENSIN RECEPTOR BLOCKER (ARB). HF: INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER MINERALOCORTICOID (ALDOSTERONE) RECEPTOR ANTAGONIST.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FINGOLIMOD

Products Affected

- *fingolimod*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FOSCARBIDOPA-FOSLEVODOPA

Products Affected

- VYALEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PARKINSONS DISEASE (PD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	PD: INITIAL: ONE OF THE FOLLOWING: 1) UNABLE TO SWALLOW EXTENDED-RELEASE (ER) TABLETS OR ADMINISTER ER CAPSULES VIA A FEEDING TUBE, OR 2) FAILURE TO ADHERE OR TOLERATE VIA A FEEDING TUBE AN ORAL CARBIDOPA/LEVODOPA REGIMEN. RENEWAL: IMPROVEMENT IN MOTOR SYMPTOMS WHILE ON THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FRUQUINTINIB

Products Affected

- FRUZAQLA ORAL CAPSULE 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FUTIBATINIB

Products Affected
- LYTGOBI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INTRAHEPATIC CHOLANGIOCARCINOMA (ICCA): COMPLETE A COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), PRIOR TO THE INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GALCANEZUMAB-GNLM

Products Affected

- EMGALITY PEN MG/ML, 300 MG/3 ML (100 MG/ML X 3)
- EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

GANAXOLONE

Products Affected

- ZTALMY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GEFITINIB

Products Affected

- *gefitinib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GEPIRONE

Products Affected

- EXXUA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

GILTERITINIB

Products Affected

- XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLASDEGIB

Products Affected

- DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLATIRAMER

Products Affected

- *glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml*
- *glatopa subcutaneous syringe 20 mg/ml, 40 mg/ml*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLP1-DULAGLUTIDE

Products Affected

- TRULICITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLP1-SEMAGLUTIDE

Products Affected

- OZEMPIC ORAL
- OZEMPIC SUBCUTANEOUS
- RYBELSUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLP1-TIRZEPATIDE

Products Affected

- MOUNJARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GUSELKUMAB

Products Affected

- TREMFYA INTRAVENOUS
- TREMFYA ONE-PRESS
- TREMFYA PEN INDUCTION PK(2PEN)
- TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML
- TREMFYA SUBCUTANEOUS SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

HIGH RISK DRUGS IN THE ELDERLY - BUTALBITAL/APAP/CAF

Products Affected

- *butalbital-acetaminophen-caff oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS ARE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - BUTALBITAL/APAP/CAF/COD

Products Affected

- *butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS ARE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - DIPYRIDAMOLE

Products Affected

- *dipyridamole oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - ESTRADIOL-NORETHINDRONE

Products Affected

- *abigale*
- *estradiol-norethindrone acet*
- *mimvey*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	VULVAR/VAGINAL ATROPHY, OSTEOPOROSIS, AND VASOMOTOR SYMPTOMS OF MENOPAUSE: PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HYPOESTROGENISM TREATMENT AND HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - ESTROGEN-MEDROXYPROGESTERONE

Products Affected

- PREMPHASE
- PREMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - GLYBURIDE

Products Affected

- *glyburide*
- *glyburide micronized*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	TYPE 2 DIABETES MELLITUS (DM): 1) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING CLINICAL STANDARD OF CARE AGENTS: GLIMEPIRIDE, GLIPIZIDE, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS ARE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - GLYBURIDE/METFORMIN

Products Affected

- *glyburide-metformin*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	TYPE 2 DIABETES MELLITUS (DM): 1) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING CLINICAL STANDARD OF CARE AGENTS: GLIMEPIRIDE, GLIPIZIDE, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS ARE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - KETOROLAC

Products Affected

- *ketorolac oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	30 days
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY - PHENOBARBITAL

Products Affected

- *phenobarbital*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	EPILEPSY/SEIZURES: PATIENTS WHO ARE NEWLY PRESCRIBED PHENOBARBITAL: 1) HAS NOT RESPONDED TO AT LEAST ONE ANTICONVULSANT, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

HIGH RISK DRUGS IN THE ELDERLY - PROMETHAZINE

Products Affected

- *promethazine oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRURITUS/URTICARIA/SEASONAL/PERENNIAL ALLERGY: 1) TRIAL OF OR CONTRAINDICATION TO A NON-SEDATING ANTIHISTAMINE SUCH AS LEVOCETIRIZINE, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. NAUSEA AND VOMITING: PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH-RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS REQUIRE PHYSICIAN ATTESTATION THAT REQUESTED MEDICATION IS USED TO TREAT A DIAGNOSIS UNRELATED TO THE TERMINAL ILLNESS OR RELATED CONDITION, AND ARE APPROVED WITHOUT TRIAL OF FORMULARY ALTERNATIVES NOR REQUIRING PRESCRIBER ACKNOWLEDGEMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

HIGH RISK DRUGS IN THE ELDERLY - SCOPOLAMINE

Products Affected

- *scopolamine base*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS REQUIRE PHYSICIAN ATTESTATION THAT REQUESTED MEDICATION IS USED TO TREAT A DIAGNOSIS UNRELATED TO THE TERMINAL ILLNESS OR RELATED CONDITION, AND ARE APPROVED WITHOUT REQUIRING PRESCRIBER ACKNOWLEDGEMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY-DIPHENOXYLATE-ATROPINE

Products Affected

- *diphenoxylate-atropine oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY-INDOMETHACIN

Products Affected

- *indomethacin oral capsule*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY-MEGESTROL

Products Affected

- *megestrol 400 mg/10 ml susp cup outer*
- *megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)*
- *megestrol oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HIGH RISK DRUGS IN THE ELDERLY-PAROXETINE

Products Affected

- *paroxetine hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IBERDOMIDE

Products Affected

- ZENBEXUS

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

IBRUTINIB

Products Affected

- IMBRUVICA ORAL CAPSULE 140 MG, 70 MG
- IMBRUVICA ORAL SUSPENSION
- IMBRUVICA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CHRONIC GRAFT VS HOST DISEASE (CGVHD): NO CONCURRENT USE WITH JAKAFI, NIKTIMVO, OR REZUROCK.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ICATIBANT

Products Affected

- *icatibant*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): INITIAL: 1) TYPE I OR II HAE CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTS: C1-INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1-INH FUNCTIONAL LEVELS, C1Q, OR 2) TYPE III HAE CONFIRMED BY: (A) RECURRENT, NON-URTICARIAL ANGIOEDEMA INVOLVING THE SKIN, GASTROINTESTINAL TRACT, OR AIRWAY, CONSISTENT WITH BRADYKININ-MEDIATED HAE AND ATTACKS NOT EXPLAINED BY HISTAMINERGIC/URTICARIAL ANGIOEDEMA, AND (B) OTHER CAUSES OF ANGIOEDEMA HAVE BEEN EXCLUDED, INCLUDING ACE-INHIBITOR/ARB-ASSOCIATED ANGIOEDEMA, ACQUIRED C1-INH DEFICIENCY, AND MAST-CELL/HISTAMINERGIC ANGIOEDEMA.
Age Restrictions	
Prescriber Restrictions	HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, IMMUNOLOGIST, HEMATOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	HAE: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER MEDICATIONS FOR THE TREATMENT OF ACUTE HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IDELALISIB

Products Affected

- ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IMATINIB

Products Affected

- *imatinib oral tablet 100 mg, 400 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IMATINIB SOLUTION

Products Affected
- IMKELDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR. ALL INDICATIONS: UNABLE TO SWALLOW GENERIC IMATINIB TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IMLUNESTRANT

Products Affected

- INLURIYO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INAVOLISIB

Products Affected

- ITOVEBI ORAL TABLET 3 MG, 9 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INFLIXIMAB

Products Affected

- *infliximab*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP, OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ, RINVOQ. PSA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, HUMIRA/ADALIMUMAB-AATY/HADLIMA, SELARSDI/YESINTEK/OTULFI, XELJANZ, RINVOQ, SKYRIZI, TREMFYA, OTEZLA. PSO: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, HUMIRA/ADALIMUMAB-AATY/HADLIMA, SELARSDI/YESINTEK/OTULFI, SKYRIZI, TREMFYA, OTEZLA. AS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ, RINVOQ. MODERATE TO SEVERE CD: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: SELARSDI/YESINTEK/OTULFI,

PA Criteria	Criteria Details
	HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. UC: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: SELARSDI/YESINTEK/OTULFI, XELJANZ, HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. INITIAL/RENEWAL: RA, PSA, AS, PSO, MODERATE TO SEVERE CD, UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PSA, AS, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

INFLIXIMAB-DYYB SQ

Products Affected
- ZYMFENTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: ULCERATIVE COLITIS (UC), CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: UC: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: SELARSDI/YESINTEK/OTULFI, XELJANZ, HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. CD: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: SELARSDI/YESINTEK/OTULFI, HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

INSULIN SUPPLIES PAYMENT DETERMINATION

Products Affected

- 1ST TIER UNIFINE PENTP 5MM 31G
- 1ST TIER UNIFINE PNTIP 4MM 32G
- 1ST TIER UNIFINE PNTIP 6MM 31G
- 1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT
- 1ST TIER UNIFINE PNTP 29GX1/2"
- 1ST TIER UNIFINE PNTP 31GX3/16
- 1ST TIER UNIFINE PNTP 32GX5/32
- ADVOCATE INS 0.3 ML 30GX5/16"
- ADVOCATE INS 0.3 ML 31GX5/16"
- ADVOCATE INS 0.5 ML 30GX5/16"
- ADVOCATE INS 0.5 ML 31GX5/16"
- ADVOCATE INS 1 ML 31GX5/16"
- ADVOCATE INS SYR 1 ML 30GX5/16
- ADVOCATE PEN NEEDLE 32G 4MM
- ADVOCATE PEN NEEDLE 4MM 33G
- ADVOCATE PEN NEEDLES 5MM 31G
- ADVOCATE PEN NEEDLES 8MM 31G
- ALCOHOL PADS
- AQINJECT PEN NEEDLE 31G 5MM
- AQINJECT PEN NEEDLE 32G 4MM
- ASSURE ID DUO PRO NDL 31G 5MM
- ASSURE ID DUO-SHIELD 30GX3/16"
- ASSURE ID DUO-SHIELD 30GX5/16"
- ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"
- ASSURE ID PEN NEEDLE 30GX5/16"
- ASSURE ID PRO PEN NDL 30G 5MM
- ASSURE ID SYR 0.5 ML 31GX15/64"
- ASSURE ID SYR 1 ML 31GX15/64"
- AUTOKEEPER SAF PEN NDL 30G 8MM
- BD AUTOSHIELD DUO NDL 5MMX30G
- BD ECLIPSE 30GX1/2" SYRINGE
- BD INS SYR 0.3 ML 8MMX31G(1/2)
- BD INS SYR UF 0.3 ML 12.7MMX30G
- BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE
- BD INSULIN SYR 1 ML 27GX12.7MM
- BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE
- BD SAFETGLD INS 0.3 ML 29G 13MM
- BD SAFETYGLD INS 0.3 ML 31G 8MM
- BD SAFETYGLD INS 0.5 ML 30G 8MM
- BD SAFETYGLD INS 1 ML 29G 13MM
- BD SAFETYGLID INS 1 ML 6MMX31G
- BD SAFETYGLIDE SYRINGE 27GX5/8
- BD SAFTYGLD INS 0.3 ML 6MMX31G
- BD SAFTYGLD INS 0.5 ML 29G 13MM
- BD SAFTYGLD INS 0.5 ML 6MMX31G
- BD SINGLE USE SWAB
- BD UF MICRO PEN NEEDLE 6MMX32G
- BD UF MINI PEN NEEDLE 5MMX31G
- BD UF NANO PEN NEEDLE 4MMX32G
- BD UF ORIG PEN NDL 12.7MMX29G
- BD UF SHORT PEN NEEDLE 8MMX31G
- BD VEO INS 0.3 ML 6MMX31G (1/2)
- BD VEO INS SYRING 1 ML 6MMX31G
- BD VEO INS SYRN 0.3 ML 6MMX31G
- BD VEO INS SYRN 0.5 ML 6MMX31G
- BORDERED GAUZE 2"X2"
- CAREFINE PEN NEEDLE 12.7MM 29G HRI
- CAREFINE PEN NEEDLE 4MM 32G
- CAREFINE PEN NEEDLE 5MM 32G
- CAREFINE PEN NEEDLE 6MM 31G HRI
- CAREFINE PEN NEEDLE 8MM 30G HRI
- CAREFINE PEN NEEDLES 6MM 32G
- CAREFINE PEN NEEDLES 8MM 31G
- CARETOUCH ALCOHOL 70% PREP PAD
- CARETOUCH PEN NEEDLE 29G 12MM
- CARETOUCH PEN NEEDLE 31GX1/4"

- CARETOUCH PEN NEEDLE 31GX3/16"
- CARETOUCH PEN NEEDLE 31GX5/16"
- CARETOUCH PEN NEEDLE 32GX3/16"
- CARETOUCH PEN NEEDLE 32GX5/32"
- CARETOUCH SYR 0.3 ML 31GX5/16"
- CARETOUCH SYR 0.5 ML 30GX5/16"
- CARETOUCH SYR 0.5 ML 31GX5/16"
- CARETOUCH SYR 1 ML 28GX5/16"
- CARETOUCH SYR 1 ML 29GX5/16"
- CARETOUCH SYR 1 ML 30GX5/16"
- CARETOUCH SYR 1 ML 31GX5/16"
- CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE
- CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND
- COMFORT EZ 0.3 ML 31G 15/64"
- COMFORT EZ 0.5 ML 31G 15/64"
- COMFORT EZ INS 0.3 ML 30GX1/2"
- COMFORT EZ INS 0.3 ML 30GX5/16"
- COMFORT EZ INS 1 ML 31G 15/64"
- COMFORT EZ INS 1 ML 31GX5/16"
- COMFORT EZ INSULIN SYR 0.3 ML
- COMFORT EZ INSULIN SYR 0.5 ML
- COMFORT EZ PEN NEEDLE 12MM 29G
- COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO
- COMFORT EZ PEN NEEDLES 4MM 33G
- COMFORT EZ PEN NEEDLES 5MM 31G MINI
- COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI
- COMFORT EZ PEN NEEDLES 5MM 33G
- COMFORT EZ PEN NEEDLES 6MM 31G
- COMFORT EZ PEN NEEDLES 6MM 32G
- COMFORT EZ PEN NEEDLES 6MM 33G
- COMFORT EZ PEN NEEDLES 8MM 31G SHORT
- COMFORT EZ PEN NEEDLES 8MM 32G
- COMFORT EZ PEN NEEDLES 8MM 33G
- COMFORT EZ PLS PEN NDL 32G 4MM
- COMFORT EZ PRO PEN NDL 30G 8MM
- COMFORT EZ PRO PEN NDL 31G 4MM
- COMFORT EZ PRO PEN NDL 31G 5MM
- COMFORT EZ SYR 0.3 ML 29GX1/2"
- COMFORT EZ SYR 0.5 ML 28GX1/2"
- COMFORT EZ SYR 0.5 ML 29GX1/2"
- COMFORT EZ SYR 0.5 ML 30GX1/2"
- COMFORT EZ SYR 1 ML 27G 12.7MM
- COMFORT EZ SYR 1 ML 28GX1/2"
- COMFORT EZ SYR 1 ML 29GX1/2"
- COMFORT EZ SYR 1 ML 30GX1/2"
- COMFORT EZ SYR 1 ML 30GX5/16"
- COMFORT POINT PEN NDL 31GX1/3"
- COMFORT POINT PEN NDL 31GX1/6"
- COMFORT TOUCH PEN NDL 31G 4MM
- COMFORT TOUCH PEN NDL 31G 5MM
- COMFORT TOUCH PEN NDL 31G 6MM
- COMFORT TOUCH PEN NDL 31G 8MM
- COMFORT TOUCH PEN NDL 32G 4MM
- COMFORT TOUCH PEN NDL 32G 5MM
- COMFORT TOUCH PEN NDL 32G 6MM
- COMFORT TOUCH PEN NDL 32G 8MM
- COMFORT TOUCH PEN NDL 33G 4MM
- COMFORT TOUCH PEN NDL 33G 5MM

- COMFORT TOUCH PEN NDL 33G 6MM
- CURITY ALCOHOL PREPS 2 PLY,MEDIUM
- CURITY GAUZE PADS
- CURITY GAUZE SPONGES (12 PLY)-200/BAG
- DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII
- DERMACEA GAUZE 2"X2" SPONGE 8 PLY
- DERMACEA NON-WOVEN 2"X2" SPNGE
- DROPLET 0.3 ML 29G 12.7MM(1/2) OUTER
- DROPLET 0.3 ML 30G 12.7MM(1/2) OUTER
- DROPLET 0.5 ML 29GX12.5MM(1/2)
- DROPLET 0.5 ML 30GX12.5MM(1/2)
- DROPLET INS 0.3 ML 29GX12.5MM
- DROPLET INS 0.3 ML 30G 8MM(1/2) OUTER
- DROPLET INS 0.3 ML 30GX12.5MM
- DROPLET INS 0.3 ML 31G 6MM(1/2) OUTER
- DROPLET INS 0.3 ML 31G 8MM(1/2) OUTER
- DROPLET INS 0.5 ML 29G 12.7MM OUTER
- DROPLET INS 0.5 ML 30G 12.7MM OUTER
- DROPLET INS 0.5 ML 30GX6MM(1/2)
- DROPLET INS 0.5 ML 30GX8MM(1/2)
- DROPLET INS 0.5 ML 31GX6MM(1/2)
- DROPLET INS 0.5 ML 31GX8MM(1/2)
- DROPLET INS SYR 0.3 ML 30GX6MM
- DROPLET INS SYR 0.3 ML 30GX8MM
- DROPLET INS SYR 0.3 ML 31GX6MM
- DROPLET INS SYR 0.3 ML 31GX8MM
- DROPLET INS SYR 0.5 ML 30G 8MM OUTER
- DROPLET INS SYR 0.5 ML 31G 6MM OUTER
- DROPLET INS SYR 0.5 ML 31G 8MM OUTER
- DROPLET INS SYR 1 ML 29G 12.7MM OUTER
- DROPLET INS SYR 1 ML 30G 12.5MM
- DROPLET INS SYR 1 ML 30G 6MM
- DROPLET INS SYR 1 ML 30G 8MM OUTER
- DROPLET INS SYR 1 ML 31G 6MM OUTER
- DROPLET INS SYR 1 ML 31G 8MM
- DROPLET MICRON 34G X 9/64"
- DROPLET PEN NEEDLE 29G 10MM
- DROPLET PEN NEEDLE 29G 12MM
- DROPLET PEN NEEDLE 30G 8MM
- DROPLET PEN NEEDLE 31G 5MM
- DROPLET PEN NEEDLE 31G 6MM
- DROPLET PEN NEEDLE 31G 8MM
- DROPLET PEN NEEDLE 32G 4MM
- DROPLET PEN NEEDLE 32G 5MM
- DROPLET PEN NEEDLE 32G 6MM
- DROPLET PEN NEEDLE 32G 8MM
- DROPSAFE ALCOHOL 70% PREP PADS
- DROPSAFE INS SYR 0.3 ML 31G 6MM
- DROPSAFE INS SYR 0.3 ML 31G 8MM
- DROPSAFE INS SYR 0.5 ML 31G 6MM
- DROPSAFE INS SYR 0.5 ML 31G 8MM
- DROPSAFE INSUL SYR 1 ML 31G 6MM
- DROPSAFE INSUL SYR 1 ML 31G 8MM
- DROPSAFE INSULN 1 ML 29G 12.5MM
- DROPSAFE PEN NEEDLE 31G 4MM
- DROPSAFE PEN NEEDLE 31G 5MM
- DROPSAFE PEN NEEDLE 31G 8MM
- DROPSAFE PEN NEEDLE 31GX1/4"
- EASY CMFT SFTY PEN NDL 31G 5MM
- EASY CMFT SFTY PEN NDL 31G 6MM
- EASY CMFT SFTY PEN NDL 32G 4MM
- EASY COMFORT 0.3 ML 31G 1/2"
- EASY COMFORT 0.3 ML 31G 5/16"
- EASY COMFORT 0.5 ML 30GX1/2"
- EASY COMFORT 0.5 ML 31GX5/16"

- EASY COMFORT 0.5 ML 32GX5/16"
- EASY COMFORT 0.5 ML SYRINGE
- EASY COMFORT 1 ML 31GX5/16"
- EASY COMFORT 1 ML 32GX5/16"
- EASY COMFORT ALCOHOL 70% PAD
- EASY COMFORT INSULIN 1 ML SYR
- EASY COMFORT PEN NDL 29G 4MM
- EASY COMFORT PEN NDL 29G 5MM
- EASY COMFORT PEN NDL 31GX1/4"
- EASY COMFORT PEN NDL 31GX3/16"
- EASY COMFORT PEN NDL 31GX5/16"
- EASY COMFORT PEN NDL 32GX5/32"
- EASY COMFORT PEN NDL 33G 4MM
- EASY COMFORT PEN NDL 33G 5MM
- EASY COMFORT PEN NDL 33G 6MM
- EASY COMFORT SYR 0.5 ML 29G 8MM
- EASY COMFORT SYR 1 ML 29G 8MM
- EASY COMFORT SYR 1 ML 30GX1/2"
- EASY GLIDE INS 0.3 ML 31GX6MM
- EASY GLIDE INS 0.5 ML 31GX6MM
- EASY GLIDE INS 1 ML 31GX6MM
- EASY GLIDE PEN NEEDLE 4MM 33G
- EASY TOUCH 0.3 ML 30G 8MM(1/2)
- EASY TOUCH 0.3 ML 31G 6MM(1/2)
- EASY TOUCH 0.3 ML 31G 8MM(1/2)
- EASY TOUCH 0.3 ML SYR 30GX1/2"
- EASY TOUCH 0.5 ML SYR 27GX1/2"
- EASY TOUCH 0.5 ML SYR 29GX1/2"
- EASY TOUCH 0.5 ML SYR 30GX1/2"
- EASY TOUCH 0.5 ML SYR 30GX5/16
- EASY TOUCH 1 ML SYR 29GX1/2"
- EASY TOUCH 1 ML SYR 30GX1/2"
- EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED
- EASY TOUCH AUTO 0.5 ML 30G 6MM
- EASY TOUCH AUTO 0.5 ML 30G 8MM
- EASY TOUCH AUTORET 1 ML 30G 6MM
- EASY TOUCH AUTORET 1 ML 30G 8MM
- EASY TOUCH FLIPLOK 1 ML 27GX0.5
- EASY TOUCH INS 0.3 ML 30G 8MM
- EASY TOUCH INS 0.3 ML 31G 8MM
- EASY TOUCH INS 0.5 ML 30G 8MM
- EASY TOUCH INS 0.5 ML 31G 6MM
- EASY TOUCH INS 0.5 ML 31G 8MM
- EASY TOUCH INS 1 ML 27G 1/2"
- EASY TOUCH INS 1 ML 28G 12.7MM
- EASY TOUCH INS SYR 1 ML 30G 8MM
- EASY TOUCH INS SYR 1 ML 31G 6MM
- EASY TOUCH INS SYR 1 ML 31G 8MM
- EASY TOUCH INSULIN 1 ML 29GX1/2
- EASY TOUCH INSULIN 1 ML 30GX1/2
- EASY TOUCH INSULIN SYR 1 ML
- EASY TOUCH INSULIN SYR 1 ML RETRACTABLE
- EASY TOUCH INSULN 1 ML 29GX1/2"
- EASY TOUCH INSULN 1 ML 30GX1/2"
- EASY TOUCH INSULN 1 ML 30GX5/16
- EASY TOUCH INSULN 1 ML 31GX5/16
- EASY TOUCH LUER LOK INSUL 1 ML
- EASY TOUCH PEN NEEDLE 29GX1/2"
- EASY TOUCH PEN NEEDLE 30GX5/16
- EASY TOUCH PEN NEEDLE 31GX1/4"
- EASY TOUCH PEN NEEDLE 31GX3/16
- EASY TOUCH PEN NEEDLE 31GX5/16
- EASY TOUCH PEN NEEDLE 32GX1/4"
- EASY TOUCH PEN NEEDLE 32GX3/16
- EASY TOUCH PEN NEEDLE 32GX5/32
- EASY TOUCH SAF PEN NDL 29G 5MM
- EASY TOUCH SAF PEN NDL 29G 8MM
- EASY TOUCH SAF PEN NDL 30G 5MM
- EASY TOUCH SAF PEN NDL 30G 8MM
- EASY TOUCH SYR 0.5 ML 28G 12.7MM
- EASY TOUCH SYR 0.5 ML 29G 12.7MM
- EASY TOUCH SYR 1 ML 27G 16MM
- EASY TOUCH UNI-SLIP SYR 1 ML
- EASYLIFE ALCOHOL 70% PADS
- EASYLIFE INS PEN NDL 29G 12MM
- EASYLIFE INS PEN NDL 31G 4MM
- EASYLIFE INS PEN NDL 31G 5MM
- EASYLIFE INS PEN NDL 31G 6MM

- EASYLIFE INS PEN NDL 31G 8MM
- EASYLIFE INS PEN NDL 32G 4MM
- EASYLIFE INS PEN NDL 32G 5MM
- EASYLIFE INS PEN NDL 32G 6MM
- EASYLIFE INS PEN NDL 32G 8MM
- EASYLIFE INS PEN NDL 33G 4MM
- EASYLIFE INS PEN NDL 33G 5MM
- EASYLIFE INS PEN NDL 33G 6MM
- EASYLIFE INS PEN NDL 33G 8MM
- EASYLIFE INS SYR 0.5 ML 30G 8MM
- EASYLIFE INS SYR 1 ML 30G 8MM
- EASYLIFE INS SYR 1 ML 31G 8MM
- EASYLIFE SAFTY PEN NDL 31G 4MM
- EASYLIFE SAFTY PEN NDL 31G 5MM
- EASYLIFE SYR 1 ML 30G 12.7MM
- EASYTOUCH SAF PEN NDL 30G 6MM
- EMBRACE PEN NEEDLE 29G 12MM
- EMBRACE PEN NEEDLE 30G 5MM
- EMBRACE PEN NEEDLE 30G 8MM
- EMBRACE PEN NEEDLE 31G 5MM
- EMBRACE PEN NEEDLE 31G 6MM
- EMBRACE PEN NEEDLE 31G 8MM
- EMBRACE PEN NEEDLE 32G 4MM
- EXEL U100 0.3 ML 29GX1/2"
- EXEL U100 0.3 ML 30GX5/16"
- FT STERILE PADS 2" X 2"
- GAUZE PAD TOPICAL BANDAGE 2 X 2 "
- GNP ALCOHOL SWAB STERILE, TWO PLY
- GNP PEN NEEDLE 31G 5MM
- GNP PEN NEEDLE 32G 6MM
- GNP SIMPLI PEN NEEDLE 32G 4MM
- GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT
- GNP ULT CMFRT 0.5 ML 29GX1/2"
- GNP ULTR CMFRT 0.5 ML 30GX5/16
- GNP ULTRA COMFORT 1 ML SYRINGE
- GNP ULTRA COMFORT 3/10 ML SYR
- GS PEN NEEDLE 31G X 8MM
- HEALTHWISE INS 0.3 ML 30GX5/16"
- HEALTHWISE INS 0.3 ML 31GX5/16"
- HEALTHWISE INS 0.5 ML 30GX5/16"
- HEALTHWISE INS 0.5 ML 31GX5/16"
- HEALTHWISE INS 1 ML 30GX5/16"
- HEALTHWISE INS 1 ML 31GX5/16"
- HEALTHWISE PEN NEEDLE 31G 5MM
- HEALTHWISE PEN NEEDLE 31G 8MM
- HEALTHWISE PEN NEEDLE 32G 4MM
- HEALTHY ACCENTS PENTIP 5MM 31G
- HEALTHY ACCENTS PENTIP 6MM 31G
- HEALTHY ACCENTS PENTIP 8MM 31G
- HEALTHY ACCENTS PENTP 12MM 29G
- HEB INCONTROL ALCOHOL 70% PADS
- INCONTROL PEN NEEDLE 12MM 29G
- INCONTROL PEN NEEDLE 4MM 32G
- INCONTROL PEN NEEDLE 5MM 31G
- INCONTROL PEN NEEDLE 6MM 31G
- INCONTROL PEN NEEDLE 8MM 31G
- INSULIN 1 ML SYRINGE
- INSULIN 1/2 ML SYRINGE
- INSULIN 3/10 ML SYRINGE
- INSULIN SYR 0.3 ML 31GX1/4(1/2)
- INSULIN SYRIN 0.5 ML 28GX1/2" (OTC)
- INSULIN SYRIN 0.5 ML 29GX1/2" (OTC)
- INSULIN SYRIN 0.5 ML 30GX1/2" (RX)
- INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC)
- INSULIN SYRING 0.5 ML 27G 1/2" INNER
- INSULIN SYRINGE 0.3 ML
- INSULIN SYRINGE 0.3 ML 31GX1/4
- INSULIN SYRINGE 0.5 ML
- INSULIN SYRINGE 0.5 ML 31GX1/4
- INSULIN SYRINGE 1 ML
- INSULIN SYRINGE 1 ML 27G 1/2" INNER
- INSULIN SYRINGE 1 ML 28GX1/2" (OTC)
- INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC)

- INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC)
- INSULIN SYRINGE 1 ML 31GX1/4"
- INSULIN SYRINGE 1 ML 31GX5/16" SHORT NEEDLE,THIN II (OTC)
- INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE
- INSULIN U-500 SYRINGE-NEEDLE
- INSUPEN PEN NEEDLE 29GX1/2"
- INSUPEN PEN NEEDLE 31G 8MM
- INSUPEN PEN NEEDLE 31GX3/16"
- INSUPEN PEN NEEDLE 32G 4MM
- INSUPEN PEN NEEDLE 32G 6MM (RX)
- IV ANTISEPTIC WIPES
- KENDALL ALCOHOL 70% PREP PAD
- LISCO SPONGES 100/BAG
- MAGELLAN INSUL SYRINGE 0.3 ML
- MAGELLAN INSUL SYRINGE 0.5 ML
- MAGELLAN INSULIN SYR 0.3 ML
- MAGELLAN INSULIN SYR 0.5 ML
- MAGELLAN INSULIN SYRINGE 1 ML
- MAXI-COMFORT INS 0.5 ML 28G
- MAXI-COMFORT INS 1 ML 28GX1/2"
- MAXICOMFORT II PEN NDL 31GX6MM
- MAXICOMFORT INS 0.5 ML 27GX1/2"
- MAXICOMFORT INS 1 ML 27GX1/2"
- MAXICOMFORT PEN NDL 29G X 5MM
- MAXICOMFORT PEN NDL 29G X 8MM
- MICRODOT PEN NEEDLE 31GX6MM
- MICRODOT PEN NEEDLE 32GX4MM
- MICRODOT PEN NEEDLE 33GX4MM
- MICRODOT READYGARD NDL 31G 5MM OUTER
- MINI PEN NEEDLE 32G 5MM
- MINI PEN NEEDLE 32G 8MM
- MINI PEN NEEDLE 33G 5MM
- MINI PEN NEEDLE 33G 6MM
- MINI ULTRA-THIN II PEN NDL 31G STERILE
- MONOJECT 0.5 ML SYRN 28GX1/2"
- MONOJECT 1 ML SYRN 27X1/2"
- MONOJECT 1 ML SYRN 28GX1/2" (OTC)
- MONOJECT INSUL SYR U100 (OTC)
- MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC)
- MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC)
- MONOJECT INSUL SYR U100 1 ML
- MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC)
- MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)
- MONOJECT INSULIN SYR 0.3 ML
- MONOJECT INSULIN SYR 0.3 ML (OTC)
- MONOJECT INSULIN SYR 0.5 ML
- MONOJECT INSULIN SYR 0.5 ML (OTC)
- MONOJECT INSULIN SYR 1 ML 3'S (OTC)
- MONOJECT INSULIN SYR U-100
- MONOJECT SYRINGE 0.3 ML
- MONOJECT SYRINGE 0.5 ML
- MONOJECT SYRINGE 1 ML
- NANO 2 GEN PEN NEEDLE 32G 4MM
- NANO PEN NEEDLE 32G 4MM
- NOVOFINE 32G NEEDLES
- NOVOFINE AUTOCOVER 30G NEEDLE
- NOVOFINE PLUS PEN NDL 32GX1/6"
- PEN NEEDLE 30G 5MM OUTER
- PEN NEEDLE 30G 8MM INNER
- PEN NEEDLE 30G X 5/16"
- PEN NEEDLE 31G X 1/4" HRI
- PEN NEEDLE 33G 4MM
- PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"
- PEN NEEDLES 12MM 29G 29GX12MM,STRL
- PEN NEEDLES 4MM 32G
- PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC)
- PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC)
- PENTIPS PEN NEEDLE 29G 1/2"
- PENTIPS PEN NEEDLE 31G 1/4"

- PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM
- PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM
- PENTIPS PEN NEEDLE 32G 1/4"
- PENTIPS PEN NEEDLE 32GX5/32"
- PIP PEN NEEDLE 31G X 5MM
- PIP PEN NEEDLE 32G X 4MM
- PREVENT PEN NEEDLE 31GX1/4"
- PREVENT PEN NEEDLE 31GX5/16"
- PRO COMFORT 0.5 ML 30GX1/2"
- PRO COMFORT 0.5 ML 30GX5/16"
- PRO COMFORT 0.5 ML 31GX5/16"
- PRO COMFORT 1 ML 30GX1/2"
- PRO COMFORT 1 ML 30GX5/16"
- PRO COMFORT 1 ML 31GX5/16"
- PRO COMFORT ALCOHOL 70% PADS
- PRO COMFORT PEN NDL 32G 8MM
- PRO COMFORT PEN NDL 32G X 1/4"
- PRO COMFORT PEN NDL 4MM 32G
- PRO COMFORT PEN NDL 5MM 32G
- PRO-COMFORT ALCOHOL 70% PADS
- PRODIGY INS SYR 1 ML 28GX1/2"
- PRODIGY SYRNG 0.5 ML 31GX5/16"
- PRODIGY SYRNGE 0.3 ML 31GX5/16"
- PURE CMFT SFTY PEN NDL 31G 5MM
- PURE CMFT SFTY PEN NDL 31G 6MM
- PURE CMFT SFTY PEN NDL 32G 4MM
- PURE COMFORT ALCOHOL 70% PADS
- PURE COMFORT PEN NDL 32G 4MM
- PURE COMFORT PEN NDL 32G 5MM
- PURE COMFORT PEN NDL 32G 6MM
- PURE COMFORT PEN NDL 32G 8MM
- RA ISOPROPYL ALCOHOL 70% WIPES
- RA STERILE PADS 2"X 2"
- RAYA SURE PEN NEEDLE 29G 12MM
- RAYA SURE PEN NEEDLE 31G 4MM
- RAYA SURE PEN NEEDLE 31G 5MM
- RAYA SURE PEN NEEDLE 31G 6MM
- RELION INS SYR 0.3 ML 31GX6MM
- RELION INS SYR 0.5 ML 31GX6MM
- RELION INS SYR 1 ML 31GX15/64"
- RELION PEN NEEDLE 32GX5/32"
- RELION SYRING 0.3 ML 31GX5/16" INNER
- RELION SYRING 0.5 ML 31GX5/16" INNER (OTC)
- SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10
- SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10
- SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10
- SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10
- SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10
- SAFETY PEN NEEDLE 31G 4MM
- SAFETY PEN NEEDLE 5MM X 31G
- SAFETY SYRINGE 0.5 ML 30G 1/2"
- SECURESAFE PEN NDL 30GX5/16" OUTER
- SECURESAFE PEN NEEDLE 31G 5MM OUTER
- SECURESAFE SYR 0.5 ML 29G 1/2" OUTER
- SECURESAFE SYRNG 1 ML 29G 1/2" OUTER
- SKY SAFETY PEN NEEDLE 30G 5MM
- SKY SAFETY PEN NEEDLE 30G 8MM
- SURE CMFT SFTY PEN NDL 31G 6MM
- SURE CMFT SFTY PEN NDL 32G 4MM
- SURE COMFORT 0.5 ML SYRINGE
- SURE COMFORT 1 ML SYRINGE
- SURE COMFORT 3/10 ML SYRINGE
- SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE
- SURE COMFORT 30G PEN NEEDLE
- SURE COMFORT ALCOHOL PREP PADS
- SURE COMFORT INS 0.3 ML 31GX1/4
- SURE COMFORT INS 0.5 ML 31GX1/4
- SURE COMFORT INS 1 ML 31GX1/4"
- SURE COMFORT PEN NDL 29GX1/2" 12.7MM
- SURE COMFORT PEN NDL 31G 5MM
- SURE COMFORT PEN NDL 31G 8MM
- SURE COMFORT PEN NDL 32G 4MM
- SURE COMFORT PEN NDL 32G 6MM

- SURE-FINE PEN NEEDLES 12.7MM
- SURE-FINE PEN NEEDLES 5MM
- SURE-FINE PEN NEEDLES 8MM
- SURE-JECT INSU SYR U100 0.3 ML
- SURE-JECT INSU SYR U100 0.5 ML
- SURE-JECT INSU SYR U100 1 ML
- SURE-JECT INSUL SYR U100 1 ML
- SURE-JECT INSULIN SYRINGE 1 ML
- SURE-PREP ALCOHOL PREP PADS
- TECHLITE 0.3 ML 29GX12MM (1/2)
- TECHLITE 0.3 ML 30GX8MM (1/2)
- TECHLITE 0.3 ML 31GX6MM (1/2)
- TECHLITE 0.3 ML 31GX8MM (1/2)
- TECHLITE 0.5 ML 30GX12MM (1/2)
- TECHLITE 0.5 ML 30GX8MM (1/2)
- TECHLITE 0.5 ML 31GX6MM (1/2)
- TECHLITE 0.5 ML 31GX8MM (1/2)
- TECHLITE INS SYR 1 ML 29GX12MM
- TECHLITE INS SYR 1 ML 30GX12MM
- TECHLITE INS SYR 1 ML 31GX6MM
- TECHLITE INS SYR 1 ML 31GX8MM
- TECHLITE PEN NEEDLE 29GX1/2"
- TECHLITE PEN NEEDLE 29GX3/8"
- TECHLITE PEN NEEDLE 31GX1/4"
- TECHLITE PEN NEEDLE 31GX3/16"
- TECHLITE PEN NEEDLE 31GX5/16"
- TECHLITE PEN NEEDLE 32GX1/4"
- TECHLITE PEN NEEDLE 32GX5/16"
- TECHLITE PEN NEEDLE 32GX5/32"
- TECHLITE PLUS PEN NDL 32G 4MM
- TERUMO INS SYRINGE U100-1 ML
- TERUMO INS SYRINGE U100-1/2 ML
- TERUMO INS SYRINGE U100-1/3 ML
- TERUMO INS SYRNG U100-1/2 ML
- THINPRO INS SYRIN U100-0.3 ML
- THINPRO INS SYRIN U100-0.5 ML
- THINPRO INS SYRIN U100-1 ML
- TOPFINE INSULN PEN NDL 32G 4MM
- TRUE CMFRT PRO 0.5 ML 30G 5/16"
- TRUE CMFRT PRO 0.5 ML 31G 5/16"
- TRUE CMFRT PRO 0.5 ML 32G 5/16"
- TRUE CMFT SFTY PEN NDL 31G 5MM
- TRUE CMFT SFTY PEN NDL 31G 6MM
- TRUE CMFT SFTY PEN NDL 32G 4MM
- TRUE COMFORT 0.5 ML 30G 1/2"
- TRUE COMFORT 0.5 ML 30G 5/16"
- TRUE COMFORT 0.5 ML 31G 5/16"
- TRUE COMFORT 0.5 ML 31GX5/16"
- TRUE COMFORT 1 ML 31GX5/16"
- TRUE COMFORT ALCOHOL 70% PADS
- TRUE COMFORT PEN NDL 31G 8MM
- TRUE COMFORT PEN NDL 31GX5MM
- TRUE COMFORT PEN NDL 31GX6MM
- TRUE COMFORT PEN NDL 32G 5MM
- TRUE COMFORT PEN NDL 32G 6MM
- TRUE COMFORT PEN NDL 32GX4MM
- TRUE COMFORT PEN NDL 33G 4MM
- TRUE COMFORT PEN NDL 33G 5MM
- TRUE COMFORT PEN NDL 33G 6MM
- TRUE COMFORT PRO 1 ML 30G 1/2"
- TRUE COMFORT PRO 1 ML 30G 5/16"
- TRUE COMFORT PRO 1 ML 31G 5/16"
- TRUE COMFORT PRO 1 ML 32G 5/16"
- TRUE COMFORT PRO ALCOHOL PADS
- TRUE COMFORT SFTY 1 ML 30G 1/2"
- TRUE COMFRT PRO 0.5 ML 30G 1/2"
- TRUE COMFRT SFTY 1 ML 30G 5/16"
- TRUE COMFRT SFTY 1 ML 31G 5/16"
- TRUE COMFRT SFTY 1 ML 32G 5/16"
- TRUE-CMFRT PRO PEN NDL 31G 5MM
- TRUE-CMFRT PRO PEN NDL 31G 6MM
- TRUE-CMFRT PRO PEN NDL 31G 8MM
- TRUE-CMFRT PRO PEN NDL 32G 4MM
- TRUEPLUS PEN NEEDLE 29GX1/2"
- TRUEPLUS PEN NEEDLE 31G X 1/4"
- TRUEPLUS PEN NEEDLE 31GX3/16"
- TRUEPLUS PEN NEEDLE 31GX5/16"
- TRUEPLUS PEN NEEDLE 32GX5/32"
- TRUEPLUS SYR 0.3 ML 29GX1/2"
- TRUEPLUS SYR 0.3 ML 30GX5/16"
- TRUEPLUS SYR 0.3 ML 31GX5/16"
- TRUEPLUS SYR 0.5 ML 28GX1/2"

- TRUEPLUS SYR 0.5 ML 29GX1/2"
- TRUEPLUS SYR 0.5 ML 30GX5/16"
- TRUEPLUS SYR 0.5 ML 31GX5/16"
- TRUEPLUS SYR 1 ML 28GX1/2"
- TRUEPLUS SYR 1 ML 29GX1/2"
- TRUEPLUS SYR 1 ML 30GX5/16"
- TRUEPLUS SYR 1 ML 31GX5/16"
- ULT CFT 0.3 ML 31GX5/16" (1/2) 1/2 UNIT
- ULTICAR INS 0.3 ML 31GX1/4(1/2)
- ULTICARE INS 0.3 ML 31GX1/4"
- ULTICARE INS 0.5 ML 31GX1/4"
- ULTICARE INS 1 ML 31GX1/4"
- ULTICARE INS SYR 1 ML 30GX1/2"
- ULTICARE PEN NEEDLE 31GX3/16"
- ULTICARE PEN NEEDLE 6MM 31G
- ULTICARE PEN NEEDLE 8MM 31G
- ULTICARE PEN NEEDLES 12MM 29G
- ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM
- ULTICARE PEN NEEDLES 6MM 32G
- ULTICARE SAFE PEN NDL 30G 8MM
- ULTICARE SAFE PEN NDL 5MM 30G
- ULTICARE SYR 0.3 ML 30GX1/2"
- ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL
- ULTICARE SYR 0.5 ML 30GX1/2"
- ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL
- ULTICARE SYR 1 ML 31GX5/16"
- ULTIGUARD SAFE 1 ML 30G 12.7MM
- ULTIGUARD SAFE0.3 ML 30G 12.7MM
- ULTIGUARD SAFE0.5 ML 30G 12.7MM
- ULTIGUARD SAFEPACK 1 ML 31G 8MM
- ULTIGUARD SAFEPACK 29G 12.7MM
- ULTIGUARD SAFEPACK 31G 5MM
- ULTIGUARD SAFEPACK 31G 6MM
- ULTIGUARD SAFEPACK 31G 8MM
- ULTIGUARD SAFEPACK 32G 4MM
- ULTIGUARD SAFEPACK 32G 6MM
- ULTIGUARD SAFEPK 0.3 ML 31G 8MM
- ULTIGUARD SAFEPK 0.5 ML 31G 8MM
- ULTILET ALCOHOL STERL SWAB
- ULTILET INSULIN SYRINGE 0.3 ML
- ULTILET INSULIN SYRINGE 0.5 ML
- ULTILET INSULIN SYRINGE 1 ML
- ULTILET PEN NEEDLE
- ULTILET PEN NEEDLE 4MM 32G
- ULTRA COMFORT 0.3 ML 29GX1/2"
- ULTRA COMFORT 0.3 ML SYRINGE
- ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G
- ULTRA COMFORT 0.5 ML 29GX1/2"
- ULTRA COMFORT 0.5 ML 31GX5/16"
- ULTRA COMFORT 0.5 ML SYRINGE
- ULTRA COMFORT 1 ML 29GX1/2"
- ULTRA COMFORT 1 ML 30GX5/16"
- ULTRA COMFORT 1 ML 31GX5/16"
- ULTRA COMFORT 1 ML SYRINGE
- ULTRA FLO 0.3 ML 30G 1/2" (1/2)
- ULTRA FLO 0.3 ML 30G 5/16"(1/2)
- ULTRA FLO 0.3 ML 31G 5/16"(1/2)
- ULTRA FLO PEN NEEDLE 31G 5MM
- ULTRA FLO PEN NEEDLE 31G 8MM
- ULTRA FLO PEN NEEDLE 32G 4MM
- ULTRA FLO PEN NEEDLE 33G 4MM
- ULTRA FLO PEN NEEDLES 12MM 29G
- ULTRA FLO SYR 0.3 ML 29GX1/2"
- ULTRA FLO SYR 0.3 ML 30G 5/16"
- ULTRA FLO SYR 0.3 ML 31G 5/16"
- ULTRA FLO SYR 0.5 ML 29G 1/2"
- ULTRA THIN PEN NDL 32G X 4MM
- ULTRA-FINE 0.3 ML 30G 12.7MM
- ULTRA-FINE 0.3 ML 31G 6MM (1/2)
- ULTRA-FINE 0.3 ML 31G 8MM (1/2)
- ULTRA-FINE 0.5 ML 30G 12.7MM
- ULTRA-FINE INS 0.5 ML 31G 6MM
- ULTRA-FINE INS SYR 1 ML 31G 6MM
- ULTRA-FINE INS SYR 1 ML 31G 8MM
- ULTRA-FINE PEN NDL 29G 12.7MM
- ULTRA-FINE PEN NEEDLE 31G 5MM
- ULTRA-FINE PEN NEEDLE 31G 8MM
- ULTRA-FINE PEN NEEDLE 32G 6MM
- ULTRA-FINE SYR 0.3 ML 31G 6MM
- ULTRA-FINE SYR 0.3 ML 31G 8MM

- ULTRA-FINE SYR 0.5 ML 31G 6MM
- ULTRA-FINE SYR 0.5 ML 31G 8MM
- ULTRA-FINE SYR 1 ML 30G 12.7MM
- ULTRA-THIN II 1 ML 31GX5/16"
- ULTRA-THIN II INS 0.3 ML 30G
- ULTRA-THIN II INS 0.3 ML 31G
- ULTRA-THIN II INS 0.5 ML 29G
- ULTRA-THIN II INS 0.5 ML 30G
- ULTRA-THIN II INS 0.5 ML 31G
- ULTRA-THIN II INS SYR 1 ML 29G
- ULTRA-THIN II INS SYR 1 ML 30G
- ULTRA-THIN II PEN NDL 29GX1/2"
- ULTRA-THIN II PEN NDL 31GX5/16
- ULTRACARE INS 0.3 ML 30GX5/16"
- ULTRACARE INS 0.3 ML 31GX5/16"
- ULTRACARE INS 0.5 ML 30GX1/2"
- ULTRACARE INS 0.5 ML 30GX5/16"
- ULTRACARE INS 0.5 ML 31GX5/16"
- ULTRACARE INS 1 ML 30G X 5/16"
- ULTRACARE INS 1 ML 30GX1/2"
- ULTRACARE INS 1 ML 31G X 5/16"
- ULTRACARE PEN NEEDLE 31GX1/4"
- ULTRACARE PEN NEEDLE 31GX3/16"
- ULTRACARE PEN NEEDLE 31GX5/16"
- ULTRACARE PEN NEEDLE 32GX1/4"
- ULTRACARE PEN NEEDLE 32GX3/16"
- ULTRACARE PEN NEEDLE 32GX5/32"
- ULTRACARE PEN NEEDLE 33GX5/32"
- UNIFINE OTC PEN NEEDLE 31G 5MM
- UNIFINE OTC PEN NEEDLE 32G 4MM
- UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL
- UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI
- UNIFINE PENTIPS 32G 4MM
- UNIFINE PENTIPS 32GX1/4"
- UNIFINE PENTIPS 33GX5/32"
- UNIFINE PENTIPS 6MM 31G
- UNIFINE PENTIPS 8MM 31G 31GX8MM, SHORT, STRL
- UNIFINE PENTIPS MAX 30GX3/16"
- UNIFINE PENTIPS PLUS 29GX1/2" 12MM
- UNIFINE PENTIPS PLUS 30GX3/16"
- UNIFINE PENTIPS PLUS 31G 5MM
- UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM
- UNIFINE PENTIPS PLUS 32GX5/32"
- UNIFINE PENTIPS PLUS 33GX5/32"
- UNIFINE PROTECT 30G 5MM
- UNIFINE PROTECT 30G 8MM
- UNIFINE PROTECT 32G 4MM
- UNIFINE SAFECONTROL 30G 5MM
- UNIFINE SAFECONTROL 30G 8MM
- UNIFINE SAFECONTROL 31G 5MM
- UNIFINE SAFECONTROL 31G 6MM
- UNIFINE SAFECONTROL 31G 8MM
- UNIFINE SAFECONTROL 32G 4MM
- UNIFINE ULTR PEN NDL 34G 3.5MM
- UNIFINE ULTRA PEN NDL 29G 12MM
- UNIFINE ULTRA PEN NDL 31G 5MM
- UNIFINE ULTRA PEN NDL 31G 6MM
- UNIFINE ULTRA PEN NDL 31G 8MM
- UNIFINE ULTRA PEN NDL 32G 4MM
- UNIFINE ULTRA PEN NDL 32G 6MM
- VANISHPOINT 0.5 ML 30GX1/2" SY OUTER
- VANISHPOINT INS 0.5 ML 30G 8MM OUTER
- VANISHPOINT INS 1 ML 30GX3/16"
- VANISHPOINT U-100 29X1/2 SYR
- VERIFINE INS SYR 1 ML 29G 1/2"
- VERIFINE PEN NEEDLE 29G 12MM
- VERIFINE PEN NEEDLE 31G 5MM
- VERIFINE PEN NEEDLE 31G X 6MM
- VERIFINE PEN NEEDLE 31G X 8MM
- VERIFINE PEN NEEDLE 32G 6MM
- VERIFINE PEN NEEDLE 32G X 4MM
- VERIFINE PEN NEEDLE 32G X 5MM
- VERIFINE PLUS PEN NDL 31G 5MM
- VERIFINE PLUS PEN NDL 31G 8MM
- VERIFINE PLUS PEN NDL 32G 4MM
- VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER
- VERIFINE SYRING 0.5 ML 29G 1/2"
- VERIFINE SYRING 1 ML 31G 5/16"
- VERIFINE SYRNG 0.3 ML 31G 5/16"
- VERIFINE SYRNG 0.5 ML 31G 5/16"
- VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY

- WEBCOL ALCOHOL PREPS 20'S,LARGE
- WM UNIFINE PENTIP PLUS 8MM 31G W/ SAFETY CLICK

PA Criteria	Criteria Details
Exclusion Criteria	ONLY COVERED UNDER PART D WHEN USED CONCURRENTLY WITH INSULIN.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

INTERFERON FOR MS-AVONEX

Products Affected

- AVONEX INTRAMUSCULAR PEN INJECTOR KIT
- AVONEX INTRAMUSCULAR SYRINGE KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INTERFERON FOR MS-BETASERON

Products Affected

- BETASERON SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INTERFERON FOR MS-PLEGRIDY

Products Affected

- PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML
- PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INTERFERON GAMMA-1B

Products Affected

- ACTIMMUNE

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ISAVUCONAZONIUM

Products Affected

- CRESEMBA ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INVASIVE ASPERGILLOSIS, INVASIVE MUCORMYCOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	PLAN YEAR
Other Criteria	INVASIVE ASPERGILLOSIS: TRIAL OF OR CONTRAINDICATION TO VORICONAZOLE. CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

IVACAFTOR

Products Affected

- KALYDECO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

IVOSIDENIB

Products Affected

- TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IXAZOMIB

Products Affected

- NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LAMOTRIGINE

Products Affected

- SUBVENITE ORAL SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	ALL INDICATIONS: CONTRAINDICATION TO OR UNABLE TO SWALLOW LAMOTRIGINE TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

LANREOTIDE

Products Affected

- *lanreotide subcutaneous syringe 120 mg/0.5 ml*
- SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	ACROMEGALY: INITIAL: THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	ACROMEGALY: INITIAL/RENEWAL: PLAN YEAR. GEP-NETS, CARCINOID SYNDROME: PLAN YEAR.
Other Criteria	ACROMEGALY: INITIAL: SERUM INSULIN-LIKE GROWTH FACTOR 1 (IGF-1) LEVEL (ADJUSTED FOR AGE) IS ELEVATED OR UNEQUIVOCAL WITH INADEQUATE SUPPRESSION OF GROWTH HORMONE AFTER A GLUCOSE LOAD. RENEWAL: 1) REDUCTION, NORMALIZATION, OR MAINTENANCE OF IGF-1 LEVELS BASED ON AGE AND GENDER, AND 2) IMPROVEMENT OR SUSTAINED REMISSION OF CLINICAL SYMPTOMS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

LAPATINIB

Products Affected

- *lapatinib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LAROTRECTINIB

Products Affected

- VITRAKVI ORAL CAPSULE 100 MG, 25 MG
- VITRAKVI ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	VITRAKVI ORAL SOLUTION: 1) TRIAL OF VITRAKVI CAPSULES, OR 2) UNABLE TO TAKE CAPSULE FORMULATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

LAZERTINIB

Products Affected

- LAZCLUZE ORAL TABLET 240 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LECANEMAB-IRMB

Products Affected

- LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 360 MG/1.8 ML, 500 MG/2.5 ML (250MG/1.25MLX2)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LENALIDOMIDE

Products Affected

- *lenalidomide*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LENVATINIB

Products Affected

- LENVIMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LETERMOVIR

Products Affected

- PREVYMIS ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LEUPROLIDE

Products Affected

- *leuprolide subcutaneous kit*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LEUPROLIDE DEPOT

Products Affected

- *leuprolide acetate (3 month)*
- LUTRATE DEPOT (3 MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LEUPROLIDE MESYLATE

Products Affected

- CAMCEVI (6 MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LEUPROLIDE-ELIGARD

Products Affected

- ELIGARD
- ELIGARD (3 MONTH)
- ELIGARD (4 MONTH)
- ELIGARD (6 MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LEUPROLIDE-LUPRON DEPOT

Products Affected

- LUPRON DEPOT
- LUPRON DEPOT (3 MONTH)
- LUPRON DEPOT (4 MONTH)
- LUPRON DEPOT (6 MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LEUPROLIDE-LUPRON DEPOT-PED

Products Affected

- LUPRON DEPOT-PED (3 MONTH)
- LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CENTRAL PRECOCIOUS PUBERTY (CPP): INITIAL: FEMALES: ELEVATED LEVEL OF LUTEINIZING HORMONE (LH) LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS. MALES: ELEVATED LEVEL OF LH LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS.
Age Restrictions	
Prescriber Restrictions	CPP: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	CPP: INITIAL: FEMALES: 1) YOUNGER THAN 8 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR BREAST DEVELOPMENT AND PUBIC HAIR GROWTH. MALES: 1) YOUNGER THAN 9 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR GENITAL DEVELOPMENT AND PUBIC HAIR GROWTH. RENEWAL: 1) TANNER STAGING AT INITIAL DIAGNOSIS HAS STABILIZED OR REGRESSED DURING THREE SEPARATE MEDICAL VISITS IN THE PREVIOUS YEAR, AND 2) HAS NOT REACHED ACTUAL AGE WHICH CORRESPONDS TO CURRENT PUBERTAL AGE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

L-GLUTAMINE

Products Affected

- *glutamine (sickle cell)*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LIDOCAINE OINTMENT

Products Affected

- *lidocaine topical ointment*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LIDOCAINE PATCH

Products Affected

- *dermacinrx lidocan 5% patch outer*
- *lidocaine topical adhesive patch,medicated 5 %*
- *lidocan iii*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1) PAIN ASSOCIATED WITH POST-HERPETIC NEURALGIA, 2) NEUROPATHY DUE TO DIABETES MELLITUS, 3) CHRONIC BACK PAIN, OR 4) OSTEOARTHRITIS OF THE KNEE OR HIP.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LIDOCAINE PRILOCAINE

Products Affected

- *lidocaine-prilocaine topical cream*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LORLATINIB

Products Affected

- LORBRENA ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LOTILANER

Products Affected

- XDEMVY

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

LUMACAFTOR-IVACAFTOR

Products Affected

- ORKAMBI ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

MACITENTAN

Products Affected

- *macitentan*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

MARIBAVIR

Products Affected
- LIVTENCITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CYTOMEGALOVIRUS (CMV): PRESCRIBED BY OR IN CONSULTATION WITH A TRANSPLANT SPECIALIST OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	8 WEEKS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MECASERMIN

Products Affected

- INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	GROWTH FAILURE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	GROWTH FAILURE: INITIAL: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF WRIST AND HAND. INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER GROWTH HORMONE MEDICATION. RENEWAL: IMPROVEMENT WHILE ON THERAPY (INCREASE IN HEIGHT OR INCREASE IN HEIGHT VELOCITY).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MECHLORETHAMINE

Products Affected

- VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MEPOLIZUMAB

Products Affected

- NUCALA SUBCUTANEOUS AUTO-INJECTOR
- NUCALA SUBCUTANEOUS RECON SOLN
- NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

METYROSINE

Products Affected

- *metyrosine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PHEOCHROMOCYTOMA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST, ENDOCRINE SURGEON, OR HEMATOLOGIST-ONCOLOGIST.
Coverage Duration	PHEOCHROMOCYTOMA: PRE-OP SURGERY: 30 DAYS, TREATMENT: PLAN YEAR.
Other Criteria	PHEOCHROMOCYTOMA: INITIAL: HAS NON-METASTATIC PHEOCHROMOCYTOMA. PREOPERATIVE PREPARATION FOR SURGERY: USE IN COMBINATION WITH AN ALPHA-ADRENERGIC RECEPTOR BLOCKER. RENEWAL: MALIGNANT PHEOCHROMOCYTOMA: STABLE OR CLINICAL IMPROVEMENT WHILE ON THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

MIDAZOLAM

Products Affected

- NAYZILAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MIDOSTAURIN

Products Affected

- RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MIFEPRISTONE

Products Affected

- *mifepristone oral tablet 300 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CUSHINGS SYNDROME (CS): INITIAL: DIAGNOSIS CONFIRMED BY: 1) 24-HR URINE FREE CORTISOL (AT LEAST 2 TESTS TO CONFIRM), 2) OVERNIGHT 1MG DEXAMETHASONE TEST, OR 3) LATE NIGHT SALIVARY CORTISOL (AT LEAST 2 TESTS TO CONFIRM).
Age Restrictions	
Prescriber Restrictions	CS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	CS: INITIAL: HYPERCORTISOLISM IS NOT A RESULT OF CHRONIC GLUCOCORTICOIDS. INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER AGENTS USED TO LOWER CORTISOL LEVELS FOR CS. RENEWAL: 1) CONTINUES TO HAVE IMPROVEMENT OF GLUCOSE TOLERANCE OR STABLE GLUCOSE TOLERANCE (E.G., REDUCED A1C, IMPROVED FASTING GLUCOSE), 2) CONTINUES TO HAVE TOLERABILITY TO THERAPY, AND 3) CONTINUES TO NOT BE A CANDIDATE FOR SURGICAL TREATMENT OR HAS FAILED SURGERY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MILTEFOSINE

Products Affected

- IMPAVIDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MIRDAMETINIB

Products Affected

- GOMEKLI ORAL CAPSULE 1 MG, 2 MG
- GOMEKLI ORAL TABLET FOR SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MODAFINIL

Products Affected

- *modafinil oral tablet 100 mg, 200 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MOMELOTINIB

Products Affected

- OJJAARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MORPHINE SOLUTION

Products Affected

- *morphine concentrate oral solution*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	OPIOID TOLERANT: PLAN YEAR. HOSPICE, PALLIATIVE CARE OR END OF LIFE CARE: LIFETIME.
Other Criteria	1) OPIOID TOLERANT (I.E. PREVIOUS USE OF 60 MG ORAL MORPHINE PER DAY, 25 MCG TRANSDERMAL FENTANYL PER HOUR, 30 MG ORAL OXYCODONE PER DAY, 8 MG ORAL HYDROMORPHONE PER DAY, 25 MG ORAL OXYMORPHONE PER DAY, 60 MG ORAL HYDROCODONE PER DAY, OR AN EQUIANALGESIC DOSE OF ANOTHER OPIOID) AND HAS TROUBLE SWALLOWING OPIOID TABLETS, CAPSULES, OR LARGE VOLUMES OF LIQUID, OR 2) ENROLLED IN HOSPICE OR PALLIATIVE CARE OR END OF LIFE CARE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NERANDOMILAST

Products Affected

- JASCAYD

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

NERATINIB

Products Affected

- NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	EARLY-STAGE (STAGE I-III) BREAST CANCER: MEDICATION IS BEING REQUESTED WITHIN 2 YEARS OF COMPLETING THE LAST TRASTUZUMAB DOSE. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NILOTINIB - TASIGNA

Products Affected

- *nilotinib hcl oral capsule 150 mg, 200 mg, 50 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND MEDICATION IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NILOTINIB-DANZITEN

Products Affected

- DANZITEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): 1) PERFORMED MUTATIONAL ANALYSIS PRIOR TO INITIATION OF THERAPY, AND 2) THERAPY IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NINTEDANIB

Products Affected

- *nintedanib*
- OFEV

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

NIRAPARIB

Products Affected

- ZEJULA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE, OR PRIMARY PERITONEAL CANCER: 1) ZEJULA WILL BE USED AS MONOTHERAPY, AND 2) ZEJULA IS STARTED NO LATER THAN 8 WEEKS AFTER THE MOST RECENT PLATINUM-CONTAINING REGIMEN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NIRAPARIB-ABIRATERONE

Products Affected

- AKEEGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC), METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NIROGACESTAT

Products Affected

- OGSIVEO ORAL TABLET 100 MG, 150 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NITISINONE

Products Affected

- *nitisinone*
- ORFADIN ORAL SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY TYROSINEMIA TYPE 1 (HT-1): INITIAL: DIAGNOSIS CONFIRMED BY ELEVATED URINARY OR PLASMA SUCCINYLACETONE LEVELS OR A MUTATION IN THE FUMARYLACETOACETATE HYDROLASE GENE. RENEWAL: URINARY OR PLASMA SUCCINYLACETONE LEVELS HAVE DECREASED FROM BASELINE WHILE ON TREATMENT WITH NITISINONE.
Age Restrictions	
Prescriber Restrictions	HT-1: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PRESCRIBER SPECIALIZING IN INHERITED METABOLIC DISEASES.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	HT-1: INITIAL: ORFADIN SUSPENSION: TRIAL OF OR CONTRAINDICATION TO PREFERRED NITISINONE TABLETS OR CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NIVOLUMAB

Products Affected

- OPDIVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NIVOLUMAB-HYALURONIDASE-NVHY

Products Affected

- OPDIVO QVANTIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OFATUMUMAB SQ

Products Affected

- KESIMPTA PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OLAPARIB

Products Affected
- LYNPARZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE OR PRIMARY PERITONEAL CANCER: MEDICATION WILL BE USED AS MONOTHERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

OLEZARSEN

Products Affected

- TRYNGOLZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OLUTASIDENIB

Products Affected

- REZLIDHIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OMALIZUMAB

Products Affected

- XOLAIR

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

OMALIZUMAB-IGEC

Products Affected
- OMLYCLO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: ASTHMA: POSITIVE SKIN PRICK OR BLOOD TEST (E.G., ELISA, FEIA) TO A PERENNIAL AEROALLERGEN AND A BASELINE IGE SERUM LEVEL OF AT LEAST 30 IU/ML. FOOD ALLERGY: 1) IGE SERUM LEVEL OF AT LEAST 30 IU/ML, AND 2) POSITIVE SKIN PRICK TEST TO AT LEAST ONE FOOD, OR POSITIVE MEDICALLY MONITORED FOOD CHALLENGE TO AT LEAST ONE FOOD.
Age Restrictions	
Prescriber Restrictions	INITIAL/RENEWAL: CHRONIC SPONTANEOUS URTICARIA (CSU): PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, DERMATOLOGIST, OR IMMUNOLOGIST. INITIAL: CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP): PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE. FOOD ALLERGY: PRESCRIBED BY OR IN CONSULTATION WITH ALLERGIST OR IMMUNOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: CSU: 1) TRIAL OF AND MAINTAINED ON, OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI-HISTAMINE, AND 2) STILL EXPERIENCES HIVES OR ANGIOEDEMA ON MOST DAYS OF THE WEEK FOR AT LEAST 6 WEEKS. CRSWNP: 1) A 56 DAY TRIAL OF ONE CLINICAL STANDARD OF CARE AGENT: A TOPICAL NASAL CORTICOSTEROID, 2) EVIDENCE OF NASAL POLYPS BY DIRECT EXAMINATION, ENDOSCOPY, OR SINUS CT SCAN, AND 3) INADEQUATELY CONTROLLED DISEASE. ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND AT LEAST ONE OTHER

PA Criteria	Criteria Details
	MAINTENANCE MEDICATION, AND 2) ONE OF THE FOLLOWING: (A) AT LEAST ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING AT LEAST 3 DAYS WITHIN THE PAST 12 MONTHS OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR (B) POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, ANY NIGHT WAKING DUE TO ASTHMA, SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, ANY ACTIVITY LIMITATION DUE TO ASTHMA. FOOD ALLERGY: CONCURRENT USE WITH AN ACTIVE PRESCRIPTION FOR EPINEPHRINE AUTO-INJECTOR/INJECTION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: CSU: MAINTAINED ON OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI-HISTAMINE. CRSWNP: CLINICAL BENEFIT COMPARED TO BASELINE. ASTHMA: 1) CONTINUED USE OF ICS AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, AND 2) CLINICAL RESPONSE AS EVIDENCED BY ONE OF THE FOLLOWING: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE. FOOD ALLERGY: 1) PERSISTENT IGE-MEDIATED FOOD ALLERGY, AND 2) CONCURRENT USE WITH AN ACTIVE PRESCRIPTION FOR EPINEPHRINE AUTO-INJECTOR/INJECTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

OSILODROSTAT

Products Affected

- ISTURISA ORAL TABLET 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CUSHINGS SYNDROME: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	CUSHINGS SYNDROME: RENEWAL: 1) CONTINUED IMPROVEMENT OF CUSHINGS DISEASE/SYNDROME, AND 2) MAINTAINS TOLERABILITY TO ISTURISA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OSIMERTINIB

Products Affected

- TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PACRITINIB

Products Affected

- VONJO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

PALBOCICLIB

Products Affected

- IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PASIREOTIDE DIASPARTATE

Products Affected

- SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CUSHINGS DISEASE (CD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	CD: RENEWAL: 1) CONTINUED IMPROVEMENT OF CUSHINGS DISEASE, AND 2) MAINTAINED TOLERABILITY TO SIGNIFOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PAZOPANIB

Products Affected

- *pazopanib oral tablet 200 mg, 400 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	ADVANCED SOFT TISSUE SARCOMA (STS): NOT USED FOR ADIPOCYTIC STS OR GASTROINTESTINAL STROMAL TUMORS (GIST)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEGFILGRASTIM - APGF

Products Affected

- NYVEPRIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEGFILGRASTIM - CBQV

Products Affected

- UDENYCA ONBODY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	NON MYELOID MALIGNANCY: UDENYCA: TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT NYVEPRIA. UDENYCA ONBODY: 1) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT NYVEPRIA, OR 2) BARRIER TO ACCESS (E.G., TRAVEL BARRIERS, UNABLE TO RETURN TO CLINIC FOR INJECTIONS).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

PEGINTERFERON ALFA-2A

Products Affected

- PEGASYS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HEPATITIS B: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, OR PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (E.G., HEPATOLOGIST).
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEGVISOMANT

Products Affected

- SOMAVERT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	ACROMEGALY: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ACROMEGALY: INITIAL: SERUM INSULIN-LIKE GROWTH FACTOR 1 (IGF-1) LEVEL (ADJUSTED FOR AGE) IS ELEVATED OR UNEQUIVOCAL WITH INADEQUATE SUPPRESSION OF GROWTH HORMONE AFTER A GLUCOSE LOAD. RENEWAL: 1) REDUCTION, NORMALIZATION, OR MAINTENANCE OF IGF-1 LEVELS BASED ON AGE AND GENDER, AND 2) IMPROVEMENT OR SUSTAINED REMISSION OF CLINICAL SYMPTOMS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEMBROLIZUMAB

Products Affected

- KEYTRUDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEMBROLIZUMAB-BERAHYALURONIDASE ALFA-PMPH

Products Affected
- KEYTRUDA QLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEMIGATINIB

Products Affected

- PEMAZYRE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CHOLANGIOCARCINOMA, MYELOID/LYMPHOID NEOPLASMS: COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), WILL BE COMPLETED PRIOR TO INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PENICILLAMINE TABLET

Products Affected

- *penicillamine oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	WILSONS DISEASE: 1) GENETIC TESTING CONFIRMING AN ATP7B MUTATION, 2) 24-HOUR URINARY COPPER EXCRETION (GREATER THAN 40 MICROGRAMS/24 HOURS), 3) LIVER BIOPSY WITH COPPER DRY WEIGHT GREATER THAN 75 MICROGRAMS/GRAM, OR 4) SERUM CERULOPLASMIN LEVEL OF LESS THAN 20 MG/DL. INITIAL: CYSTINURIA: HAS NEPHROLITHIASIS AND ONE OF THE FOLLOWING: 1) STONE ANALYSIS SHOWING PRESENCE OF CYSTINE, 2) PRESENCE OF PATHOGNOMONIC HEXAGONAL CYSTINE CRYSTALS ON URINALYSIS, OR 3) FAMILY HISTORY OF CYSTINURIA AND POSITIVE CYANIDE-NITROPRUSSIDE SCREENING.
Age Restrictions	
Prescriber Restrictions	WILSONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST. INITIAL: CYSTINURIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEPHROLOGIST. RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. RENEWAL: RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) EXPERIENCED OR MAINTAINED IMPROVEMENT IN TENDER JOINT COUNT OR SWOLLEN JOINT COUNT COMPARED TO BASELINE. CYSTINURIA: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

PEXIDARTINIB

Products Affected

- TURALIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PIMAVANSERIN

Products Affected

- NUPLAZID

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

PIRFENIDONE

Products Affected

- *pirfenidone oral capsule*
- *pirfenidone oral tablet 267 mg, 534 mg, 801 mg*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

PIRTOBRUTINIB

Products Affected

- JAYPIRCA ORAL TABLET 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

POMALIDOMIDE

Products Affected

- *pomalidomide*
- POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PONATINIB

Products Affected
- ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CHRONIC MYELOID LEUKEMIA (CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND ICLUSIG IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

POSACONAZOLE TABLET

Products Affected

- *posaconazole oral tablet,delayed release (dr/ec)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE, PROPHYLAXIS: 6 MONTHS. TREATMENT: 12 WEEKS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PRALSETINIB

Products Affected

- GAVRETO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PYRIMETHAMINE

Products Affected

- *pyrimethamine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TOXOPLASMOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	TOXOPLASMOSIS: INITIAL: 8 WEEKS, RENEWAL: 6 MOS.
Other Criteria	TOXOPLASMOSIS: RENEWAL: ONE OF THE FOLLOWING: (1) PERSISTENT CLINICAL DISEASE (HEADACHE, NEUROLOGICAL SYMPTOMS, OR FEVER) AND PERSISTENT RADIOGRAPHIC DISEASE (ONE OR MORE MASS LESIONS ON BRAIN IMAGING), OR (2) CD4 COUNT LESS THAN 200 CELLS/MM3 AND CURRENTLY TAKING AN ANTI-RETROVIRAL THERAPY IF HIV POSITIVE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

QUININE

Products Affected

- *quinine sulfate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

QUIZARTINIB

Products Affected

- VANFLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

REGORAFENIB

Products Affected

- STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RELACORILANT

Products Affected

- LIFYORLI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

RELUGOLIX

Products Affected

- ORGOVYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

REPOTRECTINIB

Products Affected

- AUGTYRO ORAL CAPSULE 160 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RESMETIROM

Products Affected

- REZDIFFRA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

REVUMENIB

Products Affected

- REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RIBOCICLIB

Products Affected

- KISQALI 200 MG DAILY DOSE
- KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RIBOCICLIB-LETROZOLE

Products Affected

- KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RIFAXIMIN

Products Affected

- XIFAXAN ORAL TABLET 200 MG, 550 MG

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

RILONACEPT

Products Affected

- ARCALYST

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

RIMEGEPANT

Products Affected

- NURTEC ODT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ACUTE MIGRAINE TREATMENT: 1) TRIAL OF OR CONTRAINDICATION TO ONE CLINICAL STANDARD OF CARE AGENT: A TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN) AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT. EPISODIC MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

RIOCIGUAT

Products Affected

- ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

RIPRETINIB

Products Affected

- QINLOCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RISANKIZUMAB-RZAA

Products Affected

- SKYRIZI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ROPEGINTERFERON ALFA-2B-NJFT

Products Affected

- BESREMI
- BESREMI PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RUCAPARIB

Products Affected

- RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

RUXOLITINIB

Products Affected

- JAKAFI
- JAKAFI XR

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SAPROPTERIN

Products Affected

- *javygtor oral tablet,soluble*
- *sapropterin oral tablet,soluble*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HYPERPHENYLALANINEMIA (HPA) WITH PHENYLKETONURIA (PKU): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A METABOLIC OR GENETIC DISEASE SPECIALIST.
Coverage Duration	INITIAL: 2 MONTHS. RENEWAL: PLAN YEAR.
Other Criteria	HPA WITH PKU: INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER AGENT INDICATED FOR THE TREATMENT OF PKU. RENEWAL: CONTINUES TO BENEFIT FROM TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SARGRAMOSTIM

Products Affected

- LEUKINE INJECTION RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SARILUMAB

Products Affected

- KEVZARA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SECUKINUMAB SQ

Products Affected

- COSENTYX (2 SYRINGES)
- COSENTYX PEN (2 PENS)
- COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML
- COSENTYX UNOREADY PEN

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SELEXIPAG

Products Affected

- UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 100 MCG, 150 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG
- UPTRAVI ORAL TABLETS,DOSE PACK

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SELINEXOR

Products Affected

- XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (10 MG X 4), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1), 80MG TWICE WEEK (160 MG/WEEK)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SELPERCATINIB

Products Affected

- RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SELUMETINIB

Products Affected

- KOSELUGO ORAL CAPSULE 10 MG, 25 MG
- KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG, 7.5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SEMAGLUTIDE - WEGOVY

Products Affected

- WEGOVY ORAL ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4
- WEGOVY SUBCUTANEOUS PEN MG/0.75 ML
  INJECTOR 0.25 MG/0.5 ML, 0.5 MG/0.5

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SEVABERTINIB

Products Affected

- HYRNUO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SILDENAFIL TABLET

Products Affected

- *sildenafil (pulm.hypertension) oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SODIUM OXYBATE-XYREM

Products Affected

- *sodium oxybate*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOFOSBUVIR/VELPATASVIR

Products Affected

- EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG, 200-50 MG
- EPCLUSA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOFOSBUVIR/VELPATASVIR/VOXILAPREVIR

Products Affected

- VOSEVI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOMATROPIN - NORDITROPIN

Products Affected

- NORDITROPIN FLEXPRO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOMATROPIN - SEROSTIM

Products Affected

- SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SONIDEGIB

Products Affected

- ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	LOCALLY ADVANCED BASAL CELL CARCINOMA (BCC): BASELINE SERUM CREATINE KINASE (CK) AND SERUM CREATININE LEVELS
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SONROTOCLAX

Products Affected

- BEQALZI
- BEQALZI STARTER PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SORAFENIB

Products Affected

- *sorafenib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SOTATERCEPT-CSRK

Products Affected

- WINREVAIR

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

SOTORASIB

Products Affected

- LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SPARSENTAN

Products Affected

- FILSPARI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

STIRIPENTOL

Products Affected

- DIACOMIT ORAL CAPSULE 250 MG, 500 MG
- DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	DRAVET SYNDROME: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SUNITINIB

Products Affected

- *sunitinib malate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	GASTROINTESTINAL STROMAL TUMORS (GIST): TRIAL OF OR CONTRAINDICATION TO IMATINIB.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TADALAFIL - ADCIRCA, ALYQ

Products Affected

- *alyq*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

TADALAFIL-CIALIS

Products Affected

- *tadalafil oral tablet 2.5 mg, 5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	ERECTILE DYSFUNCTION WITHOUT DIAGNOSIS OF BENIGN PROSTATIC HYPERPLASIA (BPH).
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	BPH: 1) TRIAL OF ONE ALPHA BLOCKER (E.G., DOXAZOSIN, TERAZOSIN, TAMSULOSIN, ALFUZOSIN), AND 2) TRIAL OF ONE 5-ALPHA-REDUCTASE INHIBITOR (E.G., FINASTERIDE, DUTASTERIDE). APPLIES TO 2.5MG AND 5MG STRENGTHS ONLY
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TAFAMIDIS

Products Affected
- VYNDAMAX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CARDIOMYOPATHY ASSOCIATED WITH WILD TYPE OR HEREDITARY TRANSTHYRETIN-MEDIATED AMYLOIDOSIS (ATTR-CM): INITIAL: 1) NEW YORK HEART ASSOCIATION (NYHA) CLASS I, II, OR III HEART FAILURE, AND 2) DIAGNOSIS CONFIRMED BY (A) BONE SCAN (SCINTIGRAPHY) STRONGLY POSITIVE FOR MYOCARDIAL UPTAKE OF TC-99M-PYP, OR (B) BIOPSY OF TISSUE OF AFFECTED ORGAN(S) (CARDIAC AND POSSIBLY NON-CARDIAC SITES) TO CONFIRM AMYLOID PRESENCE AND CHEMICAL TYPING TO CONFIRM PRESENCE OF TRANSTHYRETIN (TTR) PROTEIN.
Age Restrictions	
Prescriber Restrictions	ATTR-CM: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST, ATTR SPECIALIST, OR MEDICAL GENETICIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ATTR-CM: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER ATTR-CM TTR STABILIZERS (E.G., ACORAMIDIS)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TALAZOPARIB

Products Affected

- TALZENNA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

TALETRECTINIB

Products Affected

- IBTROZI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TELOTRISTAT

Products Affected

- XERMELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CARCINOID SYNDROME DIARRHEA: PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST OR GASTROENTEROLOGIST
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TEPOTINIB

Products Affected

- TEPMETKO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TERIPARATIDE

Products Affected

- *teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY, UNLESS REMAINS AT OR HAS RETURNED TO HAVING A HIGH RISK FOR FRACTURE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TESTOSTERONE

Products Affected

- *testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %), 20.25 mg/1.25 gram (1.62 %)*
- *testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	MALE HYPOGONADISM: INITIAL/RENEWAL: 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED WITHIN THE PAST 12 MONTHS, AND 1) PSA LEVEL IS LESS THAN OR EQUAL TO 4 NG/ML, OR 2) PSA LEVEL IS GREATER THAN 4 NG/ML AND THE BENEFITS OF ONGOING THERAPY OUTWEIGH THE RISKS OF ELEVATED PSA. RENEWAL: IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TESTOSTERONE CYPIONATE - DEPO

Products Affected

- *testosterone cypionate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	MALE HYPOGONADISM: INITIAL/RENEWAL: 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED WITHIN THE PAST 12 MONTHS, AND 1) PSA LEVEL IS LESS THAN OR EQUAL TO 4 NG/ML, OR 2) PSA LEVEL IS GREATER THAN 4 NG/ML AND THE BENEFITS OF ONGOING THERAPY OUTWEIGH THE RISKS OF ELEVATED PSA. RENEWAL: IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TESTOSTERONE ENANTHATE

Products Affected

- *testosterone enanthate*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

TETRABENAZINE

Products Affected

- *tetrabenazine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

THALIDOMIDE

Products Affected

- THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TIVOZANIB

Products Affected

- FOTIVDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TOCILIZUMAB-AAZG IV

Products Affected

- TYENNE

PA Criteria	Criteria Details
Exclusion Criteria	CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL/RENEWAL: RA, PJIA, SJIA, GCA: PLAN YEAR. CRS: 1 MONTH.
Other Criteria	INITIAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ, RINVOQ. GIANT CELL ARTERITIS (GCA): 1) HAS COMPLETED, STARTED, OR WILL SOON START A TAPERING COURSE OF GLUCOCORTICOIDS, AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: RINVOQ. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ IR, RINVOQ. RENEWAL: RA, PJIA, SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION. GCA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TOCILIZUMAB-AAZG SQ

Products Affected

- TYENNE
- TYENNE AUTOINJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ, RINVOQ. GIANT CELL ARTERITIS (GCA): 1) HAS COMPLETED, STARTED, OR WILL SOON START A TAPERING COURSE OF GLUCOCORTICOIDS, AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: RINVOQ. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/ADALIMUMAB-AATY/HADLIMA, XELJANZ IR, RINVOQ. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PJIA, SJIA: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TOFACITINIB

Products Affected

- *tofacitinib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), POLYARTICULAR COURSE JUVENILE IDIOPATHIC ARTHRITIS (PCJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CLINICAL STANDARD OF CARE AGENT: A CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. AS: TRIAL OF OR CONTRAINDICATION TO ONE CLINICAL STANDARD OF CARE AGENT: AN NSAID. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PSA, AS, PCJIA: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TOLVAPTAN

Products Affected

- *tolvaptan (polycys kidney dis) oral tablet*
- *tolvaptan (polycys kidney dis) oral tablets, sequential*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE (ADPKD): INITIAL: CONFIRMED POLYCYSTIC KIDNEY DISEASE VIA CT, MRI, OR ULTRASOUND.
Age Restrictions	
Prescriber Restrictions	ADPKD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEPHROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ADPKD: INITIAL: DOES NOT HAVE ESRD (I.E., RECEIVING DIALYSIS). RENEWAL: HAS NOT PROGRESSED TO ESRD/DIALYSIS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TOPICAL TRETINOIN

Products Affected

- ALTRENO
- *tretinoin topical cream*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

TOVORAFENIB

Products Affected

- OJEMDA ORAL SUSPENSION FOR RECONSTITUTION
- OJEMDA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRAMETINIB SOLUTION

Products Affected

- MEKINIST ORAL RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA, MELANOMA, METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), LOCALLY ADVANCED OR METASTATIC ANAPLASTIC THYROID CANCER (ATC), UNRESECTABLE OR METASTATIC SOLID TUMOR, LOW-GRADE GLIOMA (LGG): UNABLE TO SWALLOW MEKINIST TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRAMETINIB TABLET

Products Affected

- MEKINIST ORAL TABLET 0.5 MG, 2 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRASTUZUMAB-DKST

Products Affected

- OGIVRI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRASTUZUMAB-HYALURONIDASE-OYSK

Products Affected

- HERCEPTIN HYLECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	ADJUVANT BREAST CANCER, METASTATIC BREAST CANCER: TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: HERZUMA, OGIVRI, ONTRUZANT, TRAZIMERA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TRAZODONE

Products Affected

- RALDESY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	MAJOR DEPRESSIVE DISORDER (MDD): CONTRAINDICATION TO OR UNABLE TO SWALLOW TRAZODONE TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TREPROSTINIL-YUTREPIA

Products Affected

- YUTREPIA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

TRIENTINE CAPSULE

Products Affected

- *trientine oral capsule 250 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	WILSONS DISEASE: 1) GENETIC TESTING CONFIRMING AN ATP7B MUTATION, 2) 24-HOUR URINARY COPPER EXCRETION (GREATER THAN 40 MICROGRAMS/24 HOURS), 3) LIVER BIOPSY WITH COPPER DRY WEIGHT GREATER THAN 75 MICROGRAMS/GRAM, OR 4) SERUM CERULOPLASMIN LEVEL OF LESS THAN 20 MG/DL.
Age Restrictions	
Prescriber Restrictions	WILSONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST.
Coverage Duration	PLAN YEAR
Other Criteria	WILSONS DISEASE: TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: PENICILLAMINE TABLET.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TRIFLURIDINE/TIPIRACIL

Products Affected

- LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TUCATINIB

Products Affected

- TUKYSA ORAL TABLET 150 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

UBROGEPANT

Products Affected

- UBRELVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ACUTE MIGRAINE TREATMENT: 1) TRIAL OF OR CONTRAINDICATION TO ONE PREFERRED AGENT: A TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

UPADACITINIB

Products Affected

- RINVOQ
- RINVOQ LQ

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

USTEKINUMAB-AAUZ IV

Products Affected
- OTULFI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE OF THE FOLLOWING CLINICAL STANDARD OF CARE AGENTS: AN ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS), PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH OF THE FOLLOWING CLINICAL STANDARD OF CARE AGENTS: AN IMMUNOSUPPRESSANT, PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSA, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

USTEKINUMAB-AAUZ SQ

Products Affected

- OTULFI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

USTEKINUMAB-AEKN IV

Products Affected
- SELARSDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE OF THE FOLLOWING CLINICAL STANDARD OF CARE AGENTS: AN ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS), PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH OF THE FOLLOWING CLINICAL STANDARD OF CARE AGENTS: AN IMMUNOSUPPRESSANT, PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSA, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

USTEKINUMAB-AEKN SQ

Products Affected

- SELARSDI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

USTEKINUMAB-KFCE IV

Products Affected

- YESINTEK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE OF THE FOLLOWING CLINICAL STANDARD OF CARE AGENTS: AN ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS), PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH OF THE FOLLOWING CLINICAL STANDARD OF CARE AGENTS: AN IMMUNOSUPPRESSANT, PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSA, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

USTEKINUMAB-KFCE SQ

Products Affected

- YESINTEK

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

VALBENAZINE

Products Affected

- INGREZZA
- INGREZZA INITIATION PK(TARDIV)
- INGREZZA SPRINKLE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TARDIVE DYSKINESIA (TD): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST. CHOREA ASSOCIATED WITH HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST.
Coverage Duration	PLAN YEAR
Other Criteria	TD: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VANDETANIB

Products Affected

- CAPRELSA ORAL TABLET 100 MG, 300 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	CURRENTLY STABLE ON CAPRELSA REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VEDOLIZUMAB

Products Affected

- ENTYVIO
- ENTYVIO PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: CD: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: SELARSDI/YESINTEK/OTULFI, HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. UC: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: SELARSDI/YESINTEK/OTULFI, XELJANZ, HUMIRA/ADALIMUMAB-AATY/HADLIMA, RINVOQ, SKYRIZI, TREMFYA. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VEMURAFENIB

Products Affected

- ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	MELANOMA: ZELBORAF WILL BE USED ALONE OR IN COMBINATION WITH COTELLIC
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VENETOCLAX

Products Affected

- VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG
- VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VEPDEGESTRANT

Products Affected

- VEPPANU

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	ADVANCED OR METASTATIC BREAST CANCER: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	ADVANCED OR METASTATIC BREAST CANCER: INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER SELECTIVE ESTROGEN RECEPTOR DEGRADER (SERD). RENEWAL: DEMONSTRATED CLINICAL BENEFIT WHILE ON THERAPY AS SHOWN BY A PARTIAL OR COMPLETE RESPONSE OR STABLE DISEASE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VERICIGUAT

Products Affected
- VERQUVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HEART FAILURE (HF): INITIAL/RENEWAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	HF: INITIAL: HIGH-RISK WITH WORSENING HF AS EVIDENCED BY HOSPITALIZATION FOR HF OR NEED FOR INTRAVENOUS DIURETICS. INITIAL/RENEWAL: 1) NO CONCURRENT USE WITH RIOCIGUAT OR PDE-5 INHIBITORS, AND 2) HISTORY OF AND CONTINUATION OF, OR CONTRAINDICATION OR INTOLERANCE TO, ONE AGENT FROM ANY OF THE FOLLOWING GUIDELINE-DIRECTED MEDICAL THERAPY (GDMT) MEDICATION CLASSES: (A) ACE INHIBITOR, ARB, OR ARNI, (B) BETA BLOCKER, (C) ALDOSTERONE ANTAGONIST, (D) SGLT-2 INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VIGABATRIN

Products Affected

- *vigabatrin*
- *vigadrone*
- *vigpoder*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: REFRACTORY COMPLEX PARTIAL SEIZURES (CPS), INFANTILE SPASMS: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: PLAN YEAR.
Other Criteria	INITIAL: CPS: TRIAL OF OR CONTRAINDICATION TO TWO ANTIEPILEPTIC AGENTS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VIMSELTINIB

Products Affected

- ROMVIMZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VISMODEGIB

Products Affected

- ERIVEDGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VONOPRAZAN

Products Affected

- VOQUEZNA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

VORASIDENIB

Products Affected

- VORANIGO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VORICONAZOLE SUSPENSION

Products Affected

- *voriconazole oral suspension for reconstitution*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CANDIDA INFECTIONS: 3 MOS. CONTINUATION OF THERAPY, ALL OTHER INDICATIONS: PLAN YEAR.
Other Criteria	CANDIDA INFECTIONS: CONTRAINDICATION TO OR UNABLE TO SWALLOW FLUCONAZOLE TABLETS. ALL INDICATIONS EXCEPT ESOPHAGEAL CANDIDIASIS: UNABLE TO SWALLOW TABLETS. CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ZANUBRUTINIB

Products Affected

- BRUKINSA ORAL CAPSULE
- BRUKINSA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	MANTLE CELL LYMPHOMA: INTOLERANCE TO CALQUENCE. CHRONIC LYMPHOCYTIC LEUKEMIA, SMALL LYMPHOCYTIC LYMPHOMA: INTOLERANCE TO CALQUENCE OR IMBRUVICA. WALDENSTROMS MACROGLOBULINEMIA: NO STEP REQUIRED.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ZIDESAMTINIB

Products Affected

- JIDEYTRO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Review
Required Medical Information	PA Criteria: Pending CMS Review
Age Restrictions	PA Criteria: Pending CMS Review
Prescriber Restrictions	PA Criteria: Pending CMS Review
Coverage Duration	PA Criteria: Pending CMS Review
Other Criteria	PA Criteria: Pending CMS Review
Indications	PA Criteria: Pending CMS Review
Off Label Uses	PA Criteria: Pending CMS Review
Part B Prerequisite	PA Criteria: Pending CMS Review
Prerequisite Therapy Required	PA Criteria: Pending CMS Review

ZIFTOMENIB

Products Affected

- KOMZIFTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZONGERTINIB

Products Affected

- HERNEXEOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PLAN YEAR
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZURANOLONE

Products Affected

- ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	14 DAYS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INDEX

1

1ST TIER UNIFINE PENTP 5MM 31G152, 162
1ST TIER UNIFINE PNTIP 4MM 32G 152, 162
1ST TIER UNIFINE PNTIP 6MM 31G 152, 162
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 152, 162
1ST TIER UNIFINE PNTP 29GX1/2 ... 152, 162
1ST TIER UNIFINE PNTP 31GX3/16 . 152, 162
1ST TIER UNIFINE PNTP 32GX5/32 . 152, 162

A

abigale 128
abiraterone oral tablet 250 mg 3
abirtega 3
ACTIMMUNE 166
adalimumab-aaty 8
adalimumab-aaty(cf) ai crohns 8
ADEMPAS 262
ADVOCATE INS 0.3 ML 30GX5/16 ... 152, 162
ADVOCATE INS 0.3 ML 31GX5/16 ... 152, 162
ADVOCATE INS 0.5 ML 30GX5/16 ... 152, 162
ADVOCATE INS 0.5 ML 31GX5/16 ... 152, 162
ADVOCATE INS 1 ML 31GX5/16 152, 162
ADVOCATE INS SYR 1 ML 30GX5/16 ..... 152, 162
ADVOCATE PEN NEEDLE 32G 4MM 152, 162
ADVOCATE PEN NEEDLE 4MM 33G 152, 162
ADVOCATE PEN NEEDLES 5MM 31G 152, 162
ADVOCATE PEN NEEDLES 8MM 31G 152, 162
AIMOVIG AUTOINJECTOR 97
AKEEGA 213
ALCOHOL PADS 152, 162
ALECENSA 11
ALTRENO 313
ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG 45
ALUNBRIG ORAL TABLETS,DOSE PACK 45
alyq 292
ambrisentan 13
AQINJECT PEN NEEDLE 31G 5MM . 152, 162
AQINJECT PEN NEEDLE 32G 4MM . 152, 162
ARCALYST 260
ARIKAYCE 14
armodafinil 22
ASSURE ID DUO PRO NDL 31G 5MM 152, 162
ASSURE ID DUO-SHIELD 30GX3/16 152, 162
ASSURE ID DUO-SHIELD 30GX5/16 152, 162
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2 .. 152, 162
ASSURE ID PEN NEEDLE 30GX5/16 152, 162
ASSURE ID PRO PEN NDL 30G 5MM 152, 162
ASSURE ID SYR 0.5 ML 31GX15/64 . 152, 162
ASSURE ID SYR 1 ML 31GX15/64 .... 152, 162
AUGTYRO ORAL CAPSULE 160 MG, 40 MG 254
AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG 72
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG 72
AUSTEDO XR TITRATION KT(WK1-4) 72

AUTOKEEPER SAF PEN NDL 30G 8MM 152, 162
AVMAPKI 29
AVMAPKI-FAKZYNJA 29
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 163
AVONEX INTRAMUSCULAR SYRINGE KIT 163
AYVAKIT 28
B
BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG 96
BD AUTOSHIELD DUO NDL 5MMX30G 152, 162
BD ECLIPSE 30GX1/2 ..... 152, 162
BD INS SYR 0.3 ML 8MMX31G(1/2) . 152, 162
BD INS SYR UF 0.3 ML 12.7MMX30G 152, 162
BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE 152, 162
BD INSULIN SYR 1 ML 27GX12.7MM 152, 162
BD INSULIN SYR 1 ML 27GX5/8 152, 162
BD SAFETGLD INS 0.3 ML 29G 13MM 152, 162
BD SAFETYGLD INS 0.3 ML 31G 8MM 152, 162
BD SAFETYGLD INS 0.5 ML 30G 8MM 152, 162
BD SAFETYGLD INS 1 ML 29G 13MM 152, 162
BD SAFETYGLID INS 1 ML 6MMX31G 152, 162
BD SAFETYGLIDE SYRINGE 27GX5/8 ..... 152, 162
BD SAFTYGLD INS 0.3 ML 6MMX31G 152, 162
BD SAFTYGLD INS 0.5 ML 29G 13MM 152, 162
BD SAFTYGLD INS 0.5 ML 6MMX31G 152, 162
BD SINGLE USE SWAB 152, 162
BD UF MICRO PEN NEEDLE 6MMX32G 152, 162
BD UF MINI PEN NEEDLE 5MMX31G 152, 162
BD UF NANO PEN NEEDLE 4MMX32G 152, 162
BD UF ORIG PEN NDL 12.7MMX29G 152, 162
BD UF SHORT PEN NEEDLE 8MMX31G 152, 162
BD VEO INS 0.3 ML 6MMX31G (1/2) 152, 162
BD VEO INS SYRING 1 ML 6MMX31G 152, 162
BD VEO INS SYRN 0.3 ML 6MMX31G 152, 162
BD VEO INS SYRN 0.5 ML 6MMX31G 152, 162
bendamustine intravenous recon soln 25 mg 38
BENLYSTA SUBCUTANEOUS 35
BEQALZI 285
BEQALZI STARTER PACK 285
BESREMI 265
BESREMI PEN 265
betaine 40
BETASERON SUBCUTANEOUS KIT 164
bexarotene 41
BORDERED GAUZE 2 ..... 152, 162
bortezomib injection 43
BOSULIF ORAL CAPSULE 100 MG, 50 MG 44
BOSULIF ORAL TABLET 100 MG, 500 MG 44
bosutinib oral tablet 100 mg, 400 mg, 500 mg 44
BRAFTOVI 90
BRUKINSA ORAL CAPSULE 348
BRUKINSA ORAL TABLET 348
butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg 126
butalbital-acetaminophen-caff oral tablet 125
C
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG 50
CALQUENCE (ACALABRUTINIB MAL) 5
CAMCEVI (6 MONTH) 182

CAPRELSA ORAL TABLET 100 MG, 300 MG 336
CAREFINE PEN NEEDLE 12.7MM 29G HRI..... 152, 162
CAREFINE PEN NEEDLE 4MM 32G. 152, 162
CAREFINE PEN NEEDLE 5MM 32G. 152, 162
CAREFINE PEN NEEDLE 6MM 31G HRI 152, 162
CAREFINE PEN NEEDLE 8MM 30G HRI 152, 162
CAREFINE PEN NEEDLES 6MM 32G152, 162
CAREFINE PEN NEEDLES 8MM 31G152, 162
CARETOUCH ALCOHOL 70% PREP PAD..... 152, 162
CARETOUCH PEN NEEDLE 29G 12MM 152, 162
CARETOUCH PEN NEEDLE 31GX1/4 ..... 152, 162
CARETOUCH PEN NEEDLE 31GX3/16 ..... 153, 162
CARETOUCH PEN NEEDLE 31GX5/16 ..... 153, 162
CARETOUCH PEN NEEDLE 32GX3/16 ..... 153, 162
CARETOUCH PEN NEEDLE 32GX5/32 ..... 153, 162
CARETOUCH SYR 0.3 ML 31GX5/16 153, 162
CARETOUCH SYR 0.5 ML 30GX5/16 153, 162
CARETOUCH SYR 0.5 ML 31GX5/16 153, 162
CARETOUCH SYR 1 ML 28GX5/16 .. 153, 162
CARETOUCH SYR 1 ML 29GX5/16 .. 153, 162
CARETOUCH SYR 1 ML 30GX5/16 .. 153, 162
CARETOUCH SYR 1 ML 31GX5/16 .. 153, 162
carglumic acid..... 54
CAYSTON..... 33
CLICKFINE PEN NEEDLE 32GX5/32 153, 162
CLICKFINE UNIVERSAL 31G X 1/4 . 153, 162
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)..... 49
COMFORT EZ 0.3 ML 31G 15/64 153, 162
COMFORT EZ 0.5 ML 31G 15/64 153, 162
COMFORT EZ INS 0.3 ML 30GX1/2 .. 153, 162
COMFORT EZ INS 0.3 ML 30GX5/16 153, 162
COMFORT EZ INS 1 ML 31G 15/64... 153, 162
COMFORT EZ INS 1 ML 31GX5/16... 153, 162
COMFORT EZ INSULIN SYR 0.3 ML 153, 162
COMFORT EZ INSULIN SYR 0.5 ML 153, 162
COMFORT EZ PEN NEEDLE 12MM 29G 153, 162
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO..... 153, 162
COMFORT EZ PEN NEEDLES 4MM 33G 153, 162
COMFORT EZ PEN NEEDLES 5MM 31G MINI 153, 162
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI..... 153, 162
COMFORT EZ PEN NEEDLES 5MM 33G 153, 162
COMFORT EZ PEN NEEDLES 6MM 31G 153, 162
COMFORT EZ PEN NEEDLES 6MM 32G 153, 162
COMFORT EZ PEN NEEDLES 6MM 33G 153, 162
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 153, 162
COMFORT EZ PEN NEEDLES 8MM 32G 153, 162
COMFORT EZ PEN NEEDLES 8MM 33G 153, 162

COMFORT EZ PLS PEN NDL 32G 4MM 153, 162
COMFORT EZ PRO PEN NDL 30G 8MM 153, 162
COMFORT EZ PRO PEN NDL 31G 4MM 153, 162
COMFORT EZ PRO PEN NDL 31G 5MM 153, 162
COMFORT EZ SYR 0.3 ML 29GX1/2. 153, 162
COMFORT EZ SYR 0.5 ML 28GX1/2. 153, 162
COMFORT EZ SYR 0.5 ML 29GX1/2. 153, 162
COMFORT EZ SYR 0.5 ML 30GX1/2. 153, 162
COMFORT EZ SYR 1 ML 27G 12.7MM 153, 162
COMFORT EZ SYR 1 ML 28GX1/2.... 153, 162
COMFORT EZ SYR 1 ML 29GX1/2.... 153, 162
COMFORT EZ SYR 1 ML 30GX1/2.... 153, 162
COMFORT EZ SYR 1 ML 30GX5/16.. 153, 162
COMFORT POINT PEN NDL 31GX1/3 ..... 153, 162
COMFORT POINT PEN NDL 31GX1/6 ..... 153, 162
COMFORT TOUCH PEN NDL 31G 4MM 153, 162
COMFORT TOUCH PEN NDL 31G 5MM 153, 162
COMFORT TOUCH PEN NDL 31G 6MM 153, 162
COMFORT TOUCH PEN NDL 31G 8MM 153, 162
COMFORT TOUCH PEN NDL 32G 4MM 153, 162
COMFORT TOUCH PEN NDL 32G 5MM 153, 162
COMFORT TOUCH PEN NDL 32G 6MM 153, 162
COMFORT TOUCH PEN NDL 32G 8MM 153, 162
COMFORT TOUCH PEN NDL 33G 4MM 153, 162
COMFORT TOUCH PEN NDL 33G 5MM 153, 162
COMFORT TOUCH PEN NDL 33G 6MM 154, 162
COPIKTRA..... 82
CORTROPHIN GEL INJECTION..... 58
COSENTYX (2 SYRINGES)..... 271
COSENTYX PEN (2 PENS)..... 271
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML..... 271
COSENTYX UNOREADY PEN..... 271
COTELLIC..... 57
CRESEMBA ORAL..... 167
CURITY ALCOHOL PREPS 2 PLY,MEDIUM..... 154, 162
CURITY GAUZE PADS..... 154, 162
CURITY GAUZE SPONGES (12 PLY)-200/BAG..... 154, 162

D

dalfampridine..... 64
DANZITEN..... 210
dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg..... 67
DAURISMO ORAL TABLET 100 MG, 25 MG..... 119
deferasirox oral granules in packet..... 69, 70
deferasirox oral tablet..... 69, 70
DERMACEA 2..... 154, 162
DERMACEA GAUZE 2..... 154, 162
DERMACEA NON-WOVEN 2..... 154, 162
dermacinrx lidocan 5% patch outer..... 188
DIACOMIT ORAL CAPSULE 250 MG, 500 MG..... 290
DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG..... 290
diclofenac sodium topical solution in metered-dose pump..... 74
dihydroergotamine nasal..... 75
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 120 mg (14)- 240 mg (46), 240 mg..... 76
diphenoxylate-atropine oral tablet..... 137
dipyridamole oral..... 127
dronabinol oral capsule..... 79

DROPLET 0.3 ML 29G 12.7MM(1/2) OUTER 154, 162
DROPLET 0.3 ML 30G 12.7MM(1/2) OUTER 154, 162
DROPLET 0.5 ML 29GX12.5MM(1/2) 154, 162
DROPLET 0.5 ML 30GX12.5MM(1/2) 154, 162
DROPLET INS 0.3 ML 29GX12.5MM 154, 162
DROPLET INS 0.3 ML 30G 8MM(1/2) OUTER 154, 162
DROPLET INS 0.3 ML 30GX12.5MM 154, 162
DROPLET INS 0.3 ML 31G 6MM(1/2) OUTER 154, 162
DROPLET INS 0.3 ML 31G 8MM(1/2) OUTER 154, 162
DROPLET INS 0.5 ML 29G 12.7MM OUTER 154, 162
DROPLET INS 0.5 ML 30G 12.7MM OUTER 154, 162
DROPLET INS 0.5 ML 30GX6MM(1/2) 154, 162
DROPLET INS 0.5 ML 30GX8MM(1/2) 154, 162
DROPLET INS 0.5 ML 31GX6MM(1/2) 154, 162
DROPLET INS 0.5 ML 31GX8MM(1/2) 154, 162
DROPLET INS SYR 0.3 ML 30GX6MM 154, 162
DROPLET INS SYR 0.3 ML 30GX8MM 154, 162
DROPLET INS SYR 0.3 ML 31GX6MM 154, 162
DROPLET INS SYR 0.3 ML 31GX8MM 154, 162
DROPLET INS SYR 0.5 ML 30G 8MM OUTER 154, 162
DROPLET INS SYR 0.5 ML 31G 6MM OUTER 154, 162
DROPLET INS SYR 0.5 ML 31G 8MM OUTER 154, 162
DROPLET INS SYR 1 ML 29G 12.7MM OUTER 154, 162
DROPLET INS SYR 1 ML 30G 12.5MM 154, 162
DROPLET INS SYR 1 ML 30G 6MM . 154, 162
DROPLET INS SYR 1 ML 30G 8MM OUTER 154, 162
DROPLET INS SYR 1 ML 31G 6MM OUTER 154, 162
DROPLET INS SYR 1 ML 31G 8MM . 154, 162
DROPLET MICRON 34G X 9/64.. 154, 162
DROPLET PEN NEEDLE 29G 10MM 154, 162
DROPLET PEN NEEDLE 29G 12MM 154, 162
DROPLET PEN NEEDLE 30G 8MM .. 154, 162
DROPLET PEN NEEDLE 31G 5MM .. 154, 162
DROPLET PEN NEEDLE 31G 6MM .. 154, 162
DROPLET PEN NEEDLE 31G 8MM .. 154, 162
DROPLET PEN NEEDLE 32G 4MM .. 154, 162
DROPLET PEN NEEDLE 32G 5MM .. 154, 162
DROPLET PEN NEEDLE 32G 6MM .. 154, 162
DROPLET PEN NEEDLE 32G 8MM .. 154, 162
DROPSAFE ALCOHOL 70% PREP PADS 154, 162
DROPSAFE INS SYR 0.3 ML 31G 6MM 154, 162
DROPSAFE INS SYR 0.3 ML 31G 8MM 154, 162
DROPSAFE INS SYR 0.5 ML 31G 6MM 154, 162
DROPSAFE INS SYR 0.5 ML 31G 8MM 154, 162
DROPSAFE INSUL SYR 1 ML 31G 6MM 154, 162
DROPSAFE INSUL SYR 1 ML 31G 8MM 154, 162

DROPSAFE INSULN 1 ML 29G 12.5MM 154, 162
DROPSAFE PEN NEEDLE 31G 4MM 154, 162
DROPSAFE PEN NEEDLE 31G 5MM 154, 162
DROPSAFE PEN NEEDLE 31G 8MM 154, 162
DROPSAFE PEN NEEDLE 31GX1/4 .. 154, 162
droxidopa 80
DUPIXENT PEN 81
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML..... 81
E
EASY CMFT SFTY PEN NDL 31G 5MM 154, 162
EASY CMFT SFTY PEN NDL 31G 6MM 154, 162
EASY CMFT SFTY PEN NDL 32G 4MM 154, 162
EASY COMFORT 0.3 ML 31G 1/2154, 162
EASY COMFORT 0.3 ML 31G 5/16.... 154, 162
EASY COMFORT 0.5 ML 30GX1/2.... 154, 162
EASY COMFORT 0.5 ML 31GX5/16.. 154, 162
EASY COMFORT 0.5 ML 32GX5/16.. 155, 162
EASY COMFORT 0.5 ML SYRINGE . 155, 162
EASY COMFORT 1 ML 31GX5/16..... 155, 162
EASY COMFORT 1 ML 32GX5/16..... 155, 162
EASY COMFORT ALCOHOL 70% PAD 155, 162
EASY COMFORT INSULIN 1 ML SYR 155, 162
EASY COMFORT PEN NDL 29G 4MM 155, 162
EASY COMFORT PEN NDL 29G 5MM 155, 162
EASY COMFORT PEN NDL 31GX1/4155, 162
EASY COMFORT PEN NDL 31GX3/16 ..... 155, 162
EASY COMFORT PEN NDL 31GX5/16 ..... 155, 162
EASY COMFORT PEN NDL 32GX5/32 ..... 155, 162
EASY COMFORT PEN NDL 33G 4MM 155, 162
EASY COMFORT PEN NDL 33G 5MM 155, 162
EASY COMFORT PEN NDL 33G 6MM 155, 162
EASY COMFORT SYR 0.5 ML 29G 8MM 155, 162
EASY COMFORT SYR 1 ML 29G 8MM 155, 162
EASY COMFORT SYR 1 ML 30GX1/2 ..... 155, 162
EASY GLIDE INS 0.3 ML 31GX6MM 155, 162
EASY GLIDE INS 0.5 ML 31GX6MM 155, 162
EASY GLIDE INS 1 ML 31GX6MM... 155, 162
EASY GLIDE PEN NEEDLE 4MM 33G 155, 162
EASY TOUCH 0.3 ML 30G 8MM(1/2) 155, 162
EASY TOUCH 0.3 ML 31G 6MM(1/2) 155, 162
EASY TOUCH 0.3 ML 31G 8MM(1/2) 155, 162
EASY TOUCH 0.3 ML SYR 30GX1/2. 155, 162
EASY TOUCH 0.5 ML SYR 27GX1/2. 155, 162
EASY TOUCH 0.5 ML SYR 29GX1/2. 155, 162
EASY TOUCH 0.5 ML SYR 30GX1/2. 155, 162
EASY TOUCH 0.5 ML SYR 30GX5/16155, 162
EASY TOUCH 1 ML SYR 29GX1/2.... 155, 162

EASY TOUCH 1 ML SYR 30GX1/2.... 155, 162
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED..... 155, 162
EASY TOUCH AUTO 0.5 ML 30G 6MM 155, 162
EASY TOUCH AUTO 0.5 ML 30G 8MM 155, 162
EASY TOUCH AUTORET 1 ML 30G 6MM 155, 162
EASY TOUCH AUTORET 1 ML 30G 8MM 155, 162
EASY TOUCH FLIPLOK 1 ML 27GX0.5 ..... 155, 162
EASY TOUCH INS 0.3 ML 30G 8MM 155, 162
EASY TOUCH INS 0.3 ML 31G 8MM 155, 162
EASY TOUCH INS 0.5 ML 30G 8MM 155, 162
EASY TOUCH INS 0.5 ML 31G 6MM 155, 162
EASY TOUCH INS 0.5 ML 31G 8MM 155, 162
EASY TOUCH INS 1 ML 27G 1/2 155, 162
EASY TOUCH INS 1 ML 28G 12.7MM 155, 162
EASY TOUCH INS SYR 1 ML 30G 8MM 155, 162
EASY TOUCH INS SYR 1 ML 31G 6MM 155, 162
EASY TOUCH INS SYR 1 ML 31G 8MM 155, 162
EASY TOUCH INSULIN 1 ML 29GX1/2 ..... 155, 162
EASY TOUCH INSULIN 1 ML 30GX1/2 ..... 155, 162
EASY TOUCH INSULIN SYR 1 ML... 155, 162
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE..... 155, 162
EASY TOUCH INSULN 1 ML 29GX1/2 ..... 155, 162
EASY TOUCH INSULN 1 ML 30GX1/2 ..... 155, 162
EASY TOUCH INSULN 1 ML 30GX5/16 ..... 155, 162
EASY TOUCH INSULN 1 ML 31GX5/16 ..... 155, 162
EASY TOUCH LUER LOK INSUL 1 ML 155, 162
EASY TOUCH PEN NEEDLE 29GX1/2 ..... 155, 162
EASY TOUCH PEN NEEDLE 30GX5/16 ..... 155, 162
EASY TOUCH PEN NEEDLE 31GX1/4 ..... 155, 162
EASY TOUCH PEN NEEDLE 31GX3/16 ..... 155, 162
EASY TOUCH PEN NEEDLE 31GX5/16 ..... 155, 162
EASY TOUCH PEN NEEDLE 32GX1/4 ..... 155, 162
EASY TOUCH PEN NEEDLE 32GX3/16 ..... 155, 162
EASY TOUCH PEN NEEDLE 32GX5/32 ..... 155, 162
EASY TOUCH SAF PEN NDL 29G 5MM 155, 162
EASY TOUCH SAF PEN NDL 29G 8MM 155, 162
EASY TOUCH SAF PEN NDL 30G 5MM 155, 162
EASY TOUCH SAF PEN NDL 30G 8MM 155, 162
EASY TOUCH SYR 0.5 ML 28G 12.7MM 155, 162
EASY TOUCH SYR 0.5 ML 29G 12.7MM 155, 162
EASY TOUCH SYR 1 ML 27G 16MM 155, 162
EASY TOUCH UNI-SLIP SYR 1 ML.. 155, 162
EASYLIFE ALCOHOL 70% PADS..... 155, 162
EASYLIFE INS PEN NDL 29G 12MM 155, 162
EASYLIFE INS PEN NDL 31G 4MM . 155, 162
EASYLIFE INS PEN NDL 31G 5MM . 155, 162

EASYLIFE INS PEN NDL 31G 6MM . 155, 162
EASYLIFE INS PEN NDL 31G 8MM . 156, 162
EASYLIFE INS PEN NDL 32G 4MM . 156, 162
EASYLIFE INS PEN NDL 32G 5MM . 156, 162
EASYLIFE INS PEN NDL 32G 6MM . 156, 162
EASYLIFE INS PEN NDL 32G 8MM . 156, 162
EASYLIFE INS PEN NDL 33G 4MM . 156, 162
EASYLIFE INS PEN NDL 33G 5MM . 156, 162
EASYLIFE INS PEN NDL 33G 6MM . 156, 162
EASYLIFE INS PEN NDL 33G 8MM . 156, 162
EASYLIFE INS SYR 0.5 ML 30G 8MM 156, 162
EASYLIFE INS SYR 1 ML 30G 8MM 156, 162
EASYLIFE INS SYR 1 ML 31G 8MM 156, 162
EASYLIFE SAFTY PEN NDL 31G 4MM 156, 162
EASYLIFE SAFTY PEN NDL 31G 5MM 156, 162
EASYLIFE SYR 1 ML 30G 12.7MM... 156, 162
EASYTOUCH SAF PEN NDL 30G 6MM 156, 162
ELIGARD 183
ELIGARD (3 MONTH)..... 183
ELIGARD (4 MONTH)..... 183
ELIGARD (6 MONTH)..... 183
eltrombopag olamine oral powder in packet 12.5 mg, 25 mg 88
eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg 88
EMBRACE PEN NEEDLE 29G 12MM 156, 162
EMBRACE PEN NEEDLE 30G 5MM . 156, 162
EMBRACE PEN NEEDLE 30G 8MM . 156, 162
EMBRACE PEN NEEDLE 31G 5MM . 156, 162
EMBRACE PEN NEEDLE 31G 6MM . 156, 162
EMBRACE PEN NEEDLE 31G 8MM . 156, 162
EMBRACE PEN NEEDLE 32G 4MM . 156, 162
EMGALITY PEN 114
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML, 300 MG/3 ML (100 MG/ML X 3) 114
ENBREL MINI..... 99
ENBREL SUBCUTANEOUS SOLUTION 99
ENBREL SUBCUTANEOUS SYRINGE 99
ENBREL SURECLICK..... 99
ENSACOVE ORAL CAPSULE 100 MG, 25 MG 91
ENTYVIO..... 337
ENTYVIO PEN 337
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG, 200-50 MG..... 280
EPCLUSA ORAL TABLET..... 280
EPIDIOLEX..... 51
ERIVEDGE..... 344
ERLEADA ORAL TABLET 240 MG, 60 MG 19
erlotinib oral tablet 100 mg, 150 mg, 25 mg 98
estradiol-norethindrone acet..... 128
everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg 101
everolimus (antineoplastic) oral tablet for suspension 102
EXEL U100 0.3 ML 29GX1/2..... 156, 162
EXEL U100 0.3 ML 30GX5/16..... 156, 162
EXXUA..... 117

F

FASENRA 39
FASENRA PEN..... 39
fentanyl citrate buccal lozenge on a handle 106

FILSPARI 289
fingolimod 110
FINTEPLA 105
FOTIVDA 305
FRUZAQLA ORAL CAPSULE 1 MG, 5 MG 112
FT STERILE PADS 2 ..... 156, 162
G
GAUZE PAD TOPICAL BANDAGE 2 X 2 ..... 156, 162
GAVRETO 247
gefitinib 116
GILOTRIF 10
glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml 120
glatopa subcutaneous syringe 20 mg/ml, 40 mg/ml 120
glutamine (sickle cell) 186
glyburide 130
glyburide micronized 130
glyburide-metformin 131
GNP ALCOHOL SWAB STERILE, TWO PLY 156, 162
GNP PEN NEEDLE 31G 5MM 156, 162
GNP PEN NEEDLE 32G 6MM 156, 162
GNP SIMPLI PEN NEEDLE 32G 4MM 156, 162
GNP ULT C 0.3 ML 29GX1/2 ..... 156, 162
GNP ULT CMFRT 0.5 ML 29GX1/2 ... 156, 162
GNP ULTR CMFRT 0.5 ML 30GX5/16156, 162
GNP ULTRA COMFORT 1 ML SYRINGE 156, 162
GNP ULTRA COMFORT 3/10 ML SYR 156, 162
GOMEKLI ORAL CAPSULE 1 MG, 2 MG 203
GOMEKLI ORAL TABLET FOR SUSPENSION 203
GS PEN NEEDLE 31G X 8MM 156, 162
H
HADLIMA 9
HADLIMA PUSHTOUCH 9
HADLIMA(CF) 9
HADLIMA(CF) PUSHTOUCH 9
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT 47, 48
HEALTHWISE INS 0.3 ML 30GX5/16 156, 162
HEALTHWISE INS 0.3 ML 31GX5/16 156, 162
HEALTHWISE INS 0.5 ML 30GX5/16 156, 162
HEALTHWISE INS 0.5 ML 31GX5/16 156, 162
HEALTHWISE INS 1 ML 30GX5/16 .. 156, 162
HEALTHWISE INS 1 ML 31GX5/16 .. 156, 162
HEALTHWISE PEN NEEDLE 31G 5MM 156, 162
HEALTHWISE PEN NEEDLE 31G 8MM 156, 162
HEALTHWISE PEN NEEDLE 32G 4MM 156, 162
HEALTHY ACCENTS PENTIP 5MM 31G 156, 162
HEALTHY ACCENTS PENTIP 6MM 31G 156, 162
HEALTHY ACCENTS PENTIP 8MM 31G 156, 162
HEALTHY ACCENTS PENTP 12MM 29G 156, 162
HEB INCONTROL ALCOHOL 70% PADS 156, 162
HERCEPTIN HYLECTA 318
HERNEXEOS 351
HUMIRA PEN 7
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML 7
HUMIRA(CF) 7
HUMIRA(CF) PEN 7
HUMIRA(CF) PEN CROHNS-UC-HS 7
HUMIRA(CF) PEN PEDIATRIC UC 7
HUMIRA(CF) PEN PSOR-UV-ADOL HS 7
HYRNUO 277
I
IBRANCE 228
IBTROZI 296
icatibant 143
ICLUSIG 245

IDHIFA 89
imatinib oral tablet 100 mg, 400 mg 145
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG 142
IMBRUVICA ORAL SUSPENSION 142
IMBRUVICA ORAL TABLET 142
IMKELDI 146
IMPAVIDO 202
INCONTROL PEN NEEDLE 12MM 29G 156, 162
INCONTROL PEN NEEDLE 4MM 32G 156, 162
INCONTROL PEN NEEDLE 5MM 31G 156, 162
INCONTROL PEN NEEDLE 6MM 31G 156, 162
INCONTROL PEN NEEDLE 8MM 31G 156, 162
INCRELEX 195
indomethacin oral capsule 138
infliximab 149, 150
INGREZZA 335
INGREZZA INITIATION PK(TARDIV) 335
INGREZZA SPRINKLE 335
INLURIYO 147
INLYTA ORAL TABLET 1 MG, 5 MG .. 31
INQOVI 68
INREBIC 104
INSULIN 1 ML SYRINGE 156, 162
INSULIN 1/2 ML SYRINGE 156, 162
INSULIN 3/10 ML SYRINGE 156, 162
INSULIN SYR 0.3 ML 31GX1/4(1/2) .. 156, 162
INSULIN SYRIN 0.5 ML 28GX1/2156, 162
INSULIN SYRIN 0.5 ML 29GX1/2156, 162
INSULIN SYRIN 0.5 ML 30GX1/2156, 162
INSULIN SYRIN 0.5 ML 30GX5/16 .... 156, 162
INSULIN SYRING 0.5 ML 27G 1/2 ..... 156, 162
INSULIN SYRINGE 0.3 ML 156, 162
INSULIN SYRINGE 0.3 ML 31GX1/4 156, 162
INSULIN SYRINGE 0.5 ML 156, 162
INSULIN SYRINGE 0.5 ML 31GX1/4 156, 162
INSULIN SYRINGE 1 ML 156, 162
INSULIN SYRINGE 1 ML 27G 1/2 ..... 156, 162
INSULIN SYRINGE 1 ML 28GX1/2 ... 156, 162
INSULIN SYRINGE 1 ML 30GX1/2 ... 156, 162
INSULIN SYRINGE 1 ML 30GX5/16 . 157, 162
INSULIN SYRINGE 1 ML 31GX1/4 ... 157, 162
INSULIN SYRINGE 1 ML 31GX5/16 . 157, 162
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2 ..... 157, 162
INSULIN U-500 SYRINGE-NEEDLE . 157, 162
INSUPEN PEN NEEDLE 29GX1/2157, 162
INSUPEN PEN NEEDLE 31G 8MM 157, 162
INSUPEN PEN NEEDLE 31GX3/16 .... 157, 162
INSUPEN PEN NEEDLE 32G 4MM 157, 162
INSUPEN PEN NEEDLE 32G 6MM (RX) 157, 162
ISTURISA ORAL TABLET 1 MG, 5 MG 225
ITOVEBI ORAL TABLET 3 MG, 9 MG 148
IV ANTISEPTIC WIPES 157, 162
IWILFIN 83

J

JAKAFI 267
JAKAFI XR 267
JASCAYD 207
javygtor oral tablet,soluble 268
JAYPIRCA ORAL TABLET 100 MG, 50 MG 243
JIDEYTRO 349

K

KALYDECO 168

KENDALL ALCOHOL 70% PREP PAD 157, 162
KERENDIA 109
KESIMPTA PEN 218
ketorolac oral 132
KEVZARA 270
KEYTRUDA 235
KEYTRUDA QLEX 236
KINERET 17
KISQALI 200 MG DAILY DOSE 257
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG 258
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3) 257
KOMZIFTI 350
KOSELUGO ORAL CAPSULE 10 MG, 25 MG 275
KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG, 7.5 MG 275
KRAZATI 6

L

lanreotide subcutaneous syringe 120 mg/0.5 ml 172
lapatinib 173
LAZCLUZE ORAL TABLET 240 MG, 80 MG 175
lenalidomide 177
LENVIMA 178
LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 360 MG/1.8 ML, 500 MG/2.5 ML (250MG/1.25MLX2) 176
LEUKINE INJECTION RECON SOLN 269
leuprolide acetate (3 month) 181
leuprolide subcutaneous kit 180
lidocaine topical adhesive patch,medicated 5 % 188
lidocaine topical ointment 187
lidocaine-prilocaine topical cream 189
lidocan iii 188
LIFYORLI 252
LISCO SPONGES 100/BAG 157, 162
LIVTENCITY 194
LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG 322
LORBRENA ORAL TABLET 100 MG, 25 MG 190
LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG 288
LUPRON DEPOT 184
LUPRON DEPOT (3 MONTH) 184
LUPRON DEPOT (4 MONTH) 184
LUPRON DEPOT (6 MONTH) 184
LUPRON DEPOT-PED (3 MONTH) 185
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 185
LUTRATE DEPOT (3 MONTH) 181
LYNPARZA 219
LYTGOBI 113

M

macitentan 193
MAGELLAN INSUL SYRINGE 0.3 ML 157, 162
MAGELLAN INSUL SYRINGE 0.5 ML 157, 162
MAGELLAN INSULIN SYR 0.3 ML .. 157, 162
MAGELLAN INSULIN SYR 0.5 ML .. 157, 162
MAGELLAN INSULIN SYRINGE 1 ML 157, 162
MAXICOMFORT II PEN NDL 31GX6MM 157, 162
MAXICOMFORT INS 0.5 ML 27GX1/2 ..... 157, 162
MAXI-COMFORT INS 0.5 ML 28G 157, 162
MAXICOMFORT INS 1 ML 27GX1/2 157, 162
MAXI-COMFORT INS 1 ML 28GX1/2157, 162
MAXICOMFORT PEN NDL 29G X 5MM 157, 162
MAXICOMFORT PEN NDL 29G X 8MM 157, 162
megestrol 400 mg/10 ml susp cup outer . 139
megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) 139
megestrol oral tablet 139

MEKINIST ORAL RECON SOLN 315
MEKINIST ORAL TABLET 0.5 MG, 2 MG 316
MEKTOVI 42
metyrosine 198
MICRODOT PEN NEEDLE 31GX6MM 157, 162
MICRODOT PEN NEEDLE 32GX4MM 157, 162
MICRODOT PEN NEEDLE 33GX4MM 157, 162
MICRODOT READYGARD NDL 31G 5MM OUTER 157, 162
mifepristone oral tablet 300 mg 201
mimvey 128
MINI PEN NEEDLE 32G 5MM 157, 162
MINI PEN NEEDLE 32G 8MM 157, 162
MINI PEN NEEDLE 33G 5MM 157, 162
MINI PEN NEEDLE 33G 6MM 157, 162
MINI ULTRA-THIN II PEN NDL 31G STERILE..... 157, 162
modafinil oral tablet 100 mg, 200 mg..... 204
MODEYSO 78
MONOJECT 0.5 ML SYRN 28GX1/2.. 157, 162
MONOJECT 1 ML SYRN 27X1/2. 157, 162
MONOJECT 1 ML SYRN 28GX1/2..... 157, 162
MONOJECT INSUL SYR U100 (OTC) 157, 162
MONOJECT INSUL SYR U100 .5ML,29GX1/2..... 157, 162
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC)..... 157, 162
MONOJECT INSUL SYR U100 1 ML. 157, 162
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2..... 157, 162
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 157, 162
MONOJECT INSULIN SYR 0.3 ML ... 157, 162
MONOJECT INSULIN SYR 0.3 ML (OTC) 157, 162
MONOJECT INSULIN SYR 0.5 ML ... 157, 162
MONOJECT INSULIN SYR 0.5 ML (OTC) 157, 162
MONOJECT INSULIN SYR 1 ML 3'S (OTC)..... 157, 162
MONOJECT INSULIN SYR U-100 ..... 157, 162
MONOJECT SYRINGE 0.3 ML.... 157, 162
MONOJECT SYRINGE 0.5 ML.... 157, 162
MONOJECT SYRINGE 1 ML..... 157, 162
morphine concentrate oral solution..... 206
MOUNJARO 123

N

NANO 2 GEN PEN NEEDLE 32G 4MM 157, 162
NANO PEN NEEDLE 32G 4MM.. 157, 162
NAYZILAM 199
NERLYNX 208
NIKTIMVO INTRAVENOUS SOLUTION 10 MG/ML 30
nilotinib hcl oral capsule 150 mg, 200 mg, 50 mg 209
NINLARO..... 170
nintedanib..... 211
nitisinone..... 215
NIVESTYM..... 108
NORDITROPIN FLEXPRO..... 282
NOVOFINE 32G NEEDLES 157, 162
NOVOFINE AUTOCOVER 30G NEEDLE 157, 162
NOVOFINE PLUS PEN NDL 32GX1/6157, 162
NUBEQA 66
NUCALA SUBCUTANEOUS AUTO-INJECTOR..... 197
NUCALA SUBCUTANEOUS RECON SOLN 197
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML 197
NUPLAZID..... 241
NURTEC ODT 261
NYVEPRIA 231

O

ODOMZO 284
OFEV 211
OGIVRI..... 317

OGSIVEO ORAL TABLET 100 MG, 150 MG, 50 MG..... 214
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 314
OJEMDA ORAL TABLET 314
OJJAARA 205
OMLYCLO..... 223, 224
ONAPGO..... 20
ONUREG..... 32
OPDIVO 216
OPDIVO QVANTIG 217
ORFADIN ORAL SUSPENSION..... 215
ORGOVYX..... 253
ORILISSA ORAL TABLET 150 MG, 200 MG 85
ORKAMBI ORAL TABLET 192
ORSERDU ORAL TABLET 345 MG, 86 MG 84
OSENVELT..... 71
OTEZLA 21
OTEZLA STARTER 21
OTEZLA XR 21
OTEZLA XR INITIATION..... 21
OTULFI 326, 327, 328
OZEMPIC ORAL 122
OZEMPIC SUBCUTANEOUS 122
P
paroxetine hcl..... 140
pazopanib oral tablet 200 mg, 400 mg.... 230
PEGASYS..... 233
PEMAZYRE..... 237
PEN NEEDLE 30G 5MM OUTER 157, 162
PEN NEEDLE 30G 8MM INNER . 157, 162
PEN NEEDLE 30G X 5/16..... 157, 162
PEN NEEDLE 31G X 1/4..... 157, 162
PEN NEEDLE 33G 4MM 157, 162
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2..... 157, 162
PEN NEEDLES 12MM 29G 29GX12MM,STRL..... 157, 162
PEN NEEDLES 4MM 32G 157, 162
PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC) . 157, 162
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 157, 162
penicillamine oral tablet..... 238, 239
PENTIPS PEN NEEDLE 29G 1/2.. 157, 162
PENTIPS PEN NEEDLE 31G 1/4.. 157, 162
PENTIPS PEN NEEDLE 31GX3/16..... 158, 162
PENTIPS PEN NEEDLE 31GX5/16..... 158, 162
PENTIPS PEN NEEDLE 32G 1/4.. 158, 162
PENTIPS PEN NEEDLE 32GX5/32..... 158, 162
phenobarbital..... 133
PIP PEN NEEDLE 31G X 5MM.... 158, 162
PIP PEN NEEDLE 32G X 4MM.... 158, 162
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) 12
pirfenidone oral capsule..... 242
pirfenidone oral tablet 267 mg, 534 mg, 801 mg 242
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML..... 165
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML 165
pomalidomide 244
POMALYST..... 244
posaconazole oral tablet,delayed release (dr/ec)..... 246
PREMPHASE..... 129
PREMPRO..... 129
PREVENT PEN NEEDLE 31GX1/4..... 158, 162
PREVENT PEN NEEDLE 31GX5/16... 158, 162
PREVYMIS ORAL TABLET 179
PRO COMFORT 0.5 ML 30GX1/2 158, 162
PRO COMFORT 0.5 ML 30GX5/16..... 158, 162
PRO COMFORT 0.5 ML 31GX5/16..... 158, 162
PRO COMFORT 1 ML 30GX1/2... 158, 162
PRO COMFORT 1 ML 30GX5/16. 158, 162
PRO COMFORT 1 ML 31GX5/16. 158, 162

PRO COMFORT ALCOHOL 70% PADS 158, 162
PRO COMFORT PEN NDL 32G 8MM 158, 162
PRO COMFORT PEN NDL 32G X 1/4 158, 162
PRO COMFORT PEN NDL 4MM 32G 158, 162
PRO COMFORT PEN NDL 5MM 32G 158, 162
PRO-COMFORT ALCOHOL 70% PADS 158, 162
PRODIGY INS SYR 1 ML 28GX1/2.... 158, 162
PRODIGY SYRNG 0.5 ML 31GX5/16 158, 162
PRODIGY SYRNGE 0.3 ML 31GX5/16 ..... 158, 162
promethazine oral tablet..... 134, 135
PURE CMFT SFTY PEN NDL 31G 5MM 158, 162
PURE CMFT SFTY PEN NDL 31G 6MM 158, 162
PURE CMFT SFTY PEN NDL 32G 4MM 158, 162
PURE COMFORT ALCOHOL 70% PADS 158, 162
PURE COMFORT PEN NDL 32G 4MM 158, 162
PURE COMFORT PEN NDL 32G 5MM 158, 162
PURE COMFORT PEN NDL 32G 6MM 158, 162
PURE COMFORT PEN NDL 32G 8MM 158, 162
pyrimethamine 248
Q
QINLOCK..... 263
quinine sulfate..... 249
QULIPTA 26
R
RA ISOPROPYL ALCOHOL 70% WIPES 158, 162
RA STERILE PADS 2..... 158, 162
RALDESY 319
RASONQUE..... 65
RAYA SURE PEN NEEDLE 29G 12MM 158, 162
RAYA SURE PEN NEEDLE 31G 4MM 158, 162
RAYA SURE PEN NEEDLE 31G 5MM 158, 162
RAYA SURE PEN NEEDLE 31G 6MM 158, 162
RELION INS SYR 0.3 ML 31GX6MM 158, 162
RELION INS SYR 0.5 ML 31GX6MM 158, 162
RELION INS SYR 1 ML 31GX15/64... 158, 162
RELION PEN NEEDLE 32GX5/32158, 162
RELION SYRING 0.3 ML 31GX5/16 .. 158, 162
RELION SYRING 0.5 ML 31GX5/16 .. 158, 162
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML..... 95
RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG 274
REVCOVI..... 86
REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG..... 256
REZDIFFRA..... 255
REZLIDHIA 221
REZUROCK..... 36
RINVOQ..... 325
RINVOQ LQ..... 325
ROMVIMZA 343
ROZLYTREK ORAL CAPSULE 100 MG, 200 MG 92
ROZLYTREK ORAL PELLETS IN PACKET 93
RUBRACA 266
RYBELSUS..... 122
RYBREVANT 16
RYBREVANT FASPRO..... 15
RYDAPT..... 200

S
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16 ..... 158, 162
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2 ..... 158, 162
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16 ..... 158, 162
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2 ..... 158, 162
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2 ..... 158, 162
SAFETY PEN NEEDLE 31G 4MM 158, 162
SAFETY PEN NEEDLE 5MM X 31G . 158, 162
SAFETY SYRINGE 0.5 ML 30G 1/2 ... 158, 162
SAPHNELO PEN 18
sapropterin oral tablet,soluble 268
SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG 23
scopolamine base 136
SECURESAFE PEN NDL 30GX5/16 ... 158, 162
SECURESAFE PEN NEEDLE 31G 5MM OUTER 158, 162
SECURESAFE SYR 0.5 ML 29G 1/2 ... 158, 162
SECURESAFE SYRNG 1 ML 29G 1/2 158, 162
SELARSDI 329, 330, 331
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG 283
SIGNIFOR 229
sildenafil (pulm.hypertension) oral tablet 278
SIRTURO 34
SKY SAFETY PEN NEEDLE 30G 5MM 158, 162
SKY SAFETY PEN NEEDLE 30G 8MM 158, 162
SKYRIZI 264
sodium oxybate 279
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML 172
SOMAVERT 234
sorafenib 286
STIVARGA 251
STRENSIQ SUBCUTANEOUS SOLUTION 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML 24, 25
SUBVENITE ORAL SUSPENSION 171
sunitinib malate 291
SURE CMFT SFTY PEN NDL 31G 6MM 158, 162
SURE CMFT SFTY PEN NDL 32G 4MM 158, 162
SURE COMFORT 0.5 ML SYRINGE .. 158, 162
SURE COMFORT 1 ML SYRINGE 158, 162
SURE COMFORT 3/10 ML SYRINGE 158, 162
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 158, 162
SURE COMFORT 30G PEN NEEDLE 158, 162
SURE COMFORT ALCOHOL PREP PADS 158, 162
SURE COMFORT INS 0.3 ML 31GX1/4 ..... 158, 162
SURE COMFORT INS 0.5 ML 31GX1/4 ..... 158, 162
SURE COMFORT INS 1 ML 31GX1/4 158, 162
SURE COMFORT PEN NDL 29GX1/2 158, 162
SURE COMFORT PEN NDL 31G 5MM 158, 162
SURE COMFORT PEN NDL 31G 8MM 158, 162
SURE COMFORT PEN NDL 32G 4MM 158, 162
SURE COMFORT PEN NDL 32G 6MM 158, 162
SURE-FINE PEN NEEDLES 12.7MM. 159, 162
SURE-FINE PEN NEEDLES 5MM159, 162
SURE-FINE PEN NEEDLES 8MM159, 162
SURE-JECT INSU SYR U100 0.3 ML. 159, 162

SURE-JECT INSU SYR U100 0.5 ML . 159, 162
SURE-JECT INSU SYR U100 1 ML 159, 162
SURE-JECT INSUL SYR U100 1 ML . 159, 162
SURE-JECT INSULIN SYRINGE 1 ML 159, 162
SURE-PREP ALCOHOL PREP PADS 159, 162
SYMPAZAN..... 56

T

TABRECTA 53
tadalafil oral tablet 2.5 mg, 5 mg 293
TAFINLAR ORAL CAPSULE 61
TAFINLAR ORAL TABLET FOR SUSPENSION 62
TAGRISSO 226
TALZENNA 295
TARPEYO 46
TAVNEOS 27
TECHLITE 0.3 ML 29GX12MM (1/2). 159, 162
TECHLITE 0.3 ML 30GX8MM (1/2)... 159, 162
TECHLITE 0.3 ML 31GX6MM (1/2)... 159, 162
TECHLITE 0.3 ML 31GX8MM (1/2)... 159, 162
TECHLITE 0.5 ML 30GX12MM (1/2). 159, 162
TECHLITE 0.5 ML 30GX8MM (1/2)... 159, 162
TECHLITE 0.5 ML 31GX6MM (1/2)... 159, 162
TECHLITE 0.5 ML 31GX8MM (1/2)... 159, 162
TECHLITE INS SYR 1 ML 29GX12MM 159, 162
TECHLITE INS SYR 1 ML 30GX12MM 159, 162
TECHLITE INS SYR 1 ML 31GX6MM 159, 162
TECHLITE INS SYR 1 ML 31GX8MM 159, 162
TECHLITE PEN NEEDLE 29GX1/2 ... 159, 162
TECHLITE PEN NEEDLE 29GX3/8 ... 159, 162
TECHLITE PEN NEEDLE 31GX1/4 ... 159, 162
TECHLITE PEN NEEDLE 31GX3/16 . 159, 162
TECHLITE PEN NEEDLE 31GX5/16 . 159, 162
TECHLITE PEN NEEDLE 32GX1/4 ... 159, 162
TECHLITE PEN NEEDLE 32GX5/16 . 159, 162
TECHLITE PEN NEEDLE 32GX5/32 . 159, 162
TECHLITE PLUS PEN NDL 32G 4MM 159, 162
TEPMETKO 298
teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml) 299
TERUMO INS SYRINGE U100-1 ML. 159, 162
TERUMO INS SYRINGE U100-1/2 ML 159, 162
TERUMO INS SYRINGE U100-1/3 ML 159, 162
TERUMO INS SYRNG U100-1/2 ML . 159, 162
testosterone cypionate 301
testosterone enanthate 302
testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %), 20.25 mg/1.25 gram (1.62 %) 300
testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)300
tetrabenazine 303
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG 304
THINPRO INS SYRIN U100-0.3 ML .. 159, 162
THINPRO INS SYRIN U100-0.5 ML .. 159, 162
THINPRO INS SYRIN U100-1 ML 159, 162
TIBSOVO 169

tofacitinib 310, 311
tolvaptan (polycys kidney dis) oral tablet312
tolvaptan (polycys kidney dis) oral tablets, sequential 312
TOPFINE INSULN PEN NDL 32G 4MM 159, 162
torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg 101
TREMFYA INTRAVENOUS 124
TREMFYA ONE-PRESS 124
TREMFYA PEN INDUCTION PK(2PEN) 124
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML 124
TREMFYA SUBCUTANEOUS SYRINGE 124
tretinoin topical cream 313
trientine oral capsule 250 mg..... 321
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 87
TRIKAFTA ORAL TABLETS, SEQUENTIAL..... 87
TRUE CMFRT PRO 0.5 ML 30G 5/16. 159, 162
TRUE CMFRT PRO 0.5 ML 31G 5/16. 159, 162
TRUE CMFRT PRO 0.5 ML 32G 5/16. 159, 162
TRUE CMFT SFTY PEN NDL 31G 5MM 159, 162
TRUE CMFT SFTY PEN NDL 31G 6MM 159, 162
TRUE CMFT SFTY PEN NDL 32G 4MM 159, 162
TRUE COMFORT 0.5 ML 30G 1/2159, 162
TRUE COMFORT 0.5 ML 30G 5/16.... 159, 162
TRUE COMFORT 0.5 ML 31G 5/16.... 159, 162
TRUE COMFORT 0.5 ML 31GX5/16.. 159, 162
TRUE COMFORT 1 ML 31GX5/16..... 159, 162
TRUE COMFORT ALCOHOL 70% PADS 159, 162
TRUE COMFORT PEN NDL 31G 8MM 159, 162
TRUE COMFORT PEN NDL 31GX5MM 159, 162
TRUE COMFORT PEN NDL 31GX6MM 159, 162
TRUE COMFORT PEN NDL 32G 5MM 159, 162
TRUE COMFORT PEN NDL 32G 6MM 159, 162
TRUE COMFORT PEN NDL 32GX4MM 159, 162
TRUE COMFORT PEN NDL 33G 4MM 159, 162
TRUE COMFORT PEN NDL 33G 5MM 159, 162
TRUE COMFORT PEN NDL 33G 6MM 159, 162
TRUE COMFORT PRO 1 ML 30G 1/2 159, 162
TRUE COMFORT PRO 1 ML 30G 5/16 ..... 159, 162
TRUE COMFORT PRO 1 ML 31G 5/16 ..... 159, 162
TRUE COMFORT PRO 1 ML 32G 5/16 ..... 159, 162
TRUE COMFORT PRO ALCOHOL PADS 159, 162
TRUE COMFORT SFTY 1 ML 30G 1/2 ..... 159, 162
TRUE COMFRT PRO 0.5 ML 30G 1/2 159, 162
TRUE COMFRT SFTY 1 ML 30G 5/16159, 162
TRUE COMFRT SFTY 1 ML 31G 5/16159, 162
TRUE COMFRT SFTY 1 ML 32G 5/16159, 162
TRUE-CMFRT PRO PEN NDL 31G 5MM 159, 162
TRUE-CMFRT PRO PEN NDL 31G 6MM 159, 162
TRUE-CMFRT PRO PEN NDL 31G 8MM 159, 162
TRUE-CMFRT PRO PEN NDL 32G 4MM 159, 162

TRUEPLUS PEN NEEDLE 29GX1/2 .. 159, 162
TRUEPLUS PEN NEEDLE 31G X 1/4 159, 162
TRUEPLUS PEN NEEDLE 31GX3/16 159, 162
TRUEPLUS PEN NEEDLE 31GX5/16 159, 162
TRUEPLUS PEN NEEDLE 32GX5/32 159, 162
TRUEPLUS SYR 0.3 ML 29GX1/2159, 162
TRUEPLUS SYR 0.3 ML 30GX5/16.... 159, 162
TRUEPLUS SYR 0.3 ML 31GX5/16.... 159, 162
TRUEPLUS SYR 0.5 ML 28GX1/2159, 162
TRUEPLUS SYR 0.5 ML 29GX1/2160, 162
TRUEPLUS SYR 0.5 ML 30GX5/16.... 160, 162
TRUEPLUS SYR 0.5 ML 31GX5/16.... 160, 162
TRUEPLUS SYR 1 ML 28GX1/2.. 160, 162
TRUEPLUS SYR 1 ML 29GX1/2.. 160, 162
TRUEPLUS SYR 1 ML 30GX5/16 160, 162
TRUEPLUS SYR 1 ML 31GX5/16 160, 162
TRULICITY 121
TRUQAP..... 52
TRYNGOLZA 220
TUKYSA ORAL TABLET 150 MG, 50 MG 323
TURALIO 240
TYENNE..... 306, 307, 308, 309
TYENNE AUTOINJECTOR..... 308, 309
TYMLOS 1

U

UBRELVY..... 324
UDENYCA ONBODY 232
ULT CFT 0.3 ML 31GX5/16..... 160, 162
ULTICAR INS 0.3 ML 31GX1/4(1/2) .. 160, 162
ULTICARE INS 0.3 ML 31GX1/4 160, 162
ULTICARE INS 0.5 ML 31GX1/4 160, 162
ULTICARE INS 1 ML 31GX1/4 ... 160, 162
ULTICARE INS SYR 1 ML 30GX1/2.. 160, 162
ULTICARE PEN NEEDLE 31GX3/16. 160, 162
ULTICARE PEN NEEDLE 6MM 31G. 160, 162
ULTICARE PEN NEEDLE 8MM 31G. 160, 162
ULTICARE PEN NEEDLES 12MM 29G 160, 162
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM..... 160, 162
ULTICARE PEN NEEDLES 6MM 32G 160, 162
ULTICARE SAFE PEN NDL 30G 8MM 160, 162
ULTICARE SAFE PEN NDL 5MM 30G 160, 162
ULTICARE SYR 0.3 ML 30GX1/2 160, 162
ULTICARE SYR 0.3 ML 31GX5/16 .... 160, 162
ULTICARE SYR 0.5 ML 30GX1/2 160, 162
ULTICARE SYR 0.5 ML 31GX5/16 .... 160, 162
ULTICARE SYR 1 ML 31GX5/16 160, 162
ULTIGUARD SAFE 1 ML 30G 12.7MM 160, 162
ULTIGUARD SAFE0.3 ML 30G 12.7MM 160, 162
ULTIGUARD SAFE0.5 ML 30G 12.7MM 160, 162
ULTIGUARD SAFEPACK 1 ML 31G 8MM 160, 162
ULTIGUARD SAFEPACK 29G 12.7MM 160, 162
ULTIGUARD SAFEPACK 31G 5MM. 160, 162
ULTIGUARD SAFEPACK 31G 6MM. 160, 162
ULTIGUARD SAFEPACK 31G 8MM. 160, 162
ULTIGUARD SAFEPACK 32G 4MM. 160, 162
ULTIGUARD SAFEPACK 32G 6MM. 160, 162
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 160, 162

ULTIGUARD SAFEPK 0.5 ML 31G 8MM 160, 162
ULTILET ALCOHOL STERL SWAB . 160, 162
ULTILET INSULIN SYRINGE 0.3 ML160, 162
ULTILET INSULIN SYRINGE 0.5 ML160, 162
ULTILET INSULIN SYRINGE 1 ML.. 160, 162
ULTILET PEN NEEDLE..... 160, 162
ULTILET PEN NEEDLE 4MM 32G.... 160, 162
ULTRA COMFORT 0.3 ML 29GX1/2 . 160, 162
ULTRA COMFORT 0.3 ML SYRINGE 160, 162
ULTRA COMFORT 0.5 ML 28GX1/2 . 160, 162
ULTRA COMFORT 0.5 ML 29GX1/2 . 160, 162
ULTRA COMFORT 0.5 ML 31GX5/16160, 162
ULTRA COMFORT 0.5 ML SYRINGE 160, 162
ULTRA COMFORT 1 ML 29GX1/2.... 160, 162
ULTRA COMFORT 1 ML 30GX5/16.. 160, 162
ULTRA COMFORT 1 ML 31GX5/16.. 160, 162
ULTRA COMFORT 1 ML SYRINGE.. 160, 162
ULTRA FLO 0.3 ML 30G 1/2..... 160, 162
ULTRA FLO 0.3 ML 30G 5/16..... 160, 162
ULTRA FLO 0.3 ML 31G 5/16..... 160, 162
ULTRA FLO PEN NEEDLE 31G 5MM160, 162
ULTRA FLO PEN NEEDLE 31G 8MM160, 162
ULTRA FLO PEN NEEDLE 32G 4MM160, 162
ULTRA FLO PEN NEEDLE 33G 4MM160, 162
ULTRA FLO PEN NEEDLES 12MM 29G 160, 162
ULTRA FLO SYR 0.3 ML 29GX1/2.... 160, 162
ULTRA FLO SYR 0.3 ML 30G 5/16.... 160, 162
ULTRA FLO SYR 0.3 ML 31G 5/16.... 160, 162
ULTRA FLO SYR 0.5 ML 29G 1/2160, 162
ULTRA THIN PEN NDL 32G X 4MM 160, 162
ULTRACARE INS 0.3 ML 30GX5/16 . 161, 162
ULTRACARE INS 0.3 ML 31GX5/16 . 161, 162
ULTRACARE INS 0.5 ML 30GX1/2 ... 161, 162
ULTRACARE INS 0.5 ML 30GX5/16 . 161, 162
ULTRACARE INS 0.5 ML 31GX5/16 . 161, 162
ULTRACARE INS 1 ML 30G X 5/16 .. 161, 162
ULTRACARE INS 1 ML 30GX1/2 161, 162
ULTRACARE INS 1 ML 31G X 5/16 .. 161, 162
ULTRACARE PEN NEEDLE 31GX1/4161, 162
ULTRACARE PEN NEEDLE 31GX3/16 ..... 161, 162
ULTRACARE PEN NEEDLE 31GX5/16 ..... 161, 162
ULTRACARE PEN NEEDLE 32GX1/4161, 162
ULTRACARE PEN NEEDLE 32GX3/16 ..... 161, 162
ULTRACARE PEN NEEDLE 32GX5/32 ..... 161, 162
ULTRACARE PEN NEEDLE 33GX5/32 ..... 161, 162
ULTRA-FINE 0.3 ML 30G 12.7MM.... 160, 162
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 160, 162
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 160, 162
ULTRA-FINE 0.5 ML 30G 12.7MM.... 160, 162

ULTRA-FINE INS 0.5 ML 31G 6MM.. 160, 162
ULTRA-FINE INS SYR 1 ML 31G 6MM 160, 162
ULTRA-FINE INS SYR 1 ML 31G 8MM 160, 162
ULTRA-FINE PEN NDL 29G 12.7MM 160, 162
ULTRA-FINE PEN NEEDLE 31G 5MM 160, 162
ULTRA-FINE PEN NEEDLE 31G 8MM 160, 162
ULTRA-FINE PEN NEEDLE 32G 6MM 160, 162
ULTRA-FINE SYR 0.3 ML 31G 6MM 160, 162
ULTRA-FINE SYR 0.3 ML 31G 8MM 160, 162
ULTRA-FINE SYR 0.5 ML 31G 6MM 161, 162
ULTRA-FINE SYR 0.5 ML 31G 8MM 161, 162
ULTRA-FINE SYR 1 ML 30G 12.7MM 161, 162
ULTRA-THIN II 1 ML 31GX5/16. 161, 162
ULTRA-THIN II INS 0.3 ML 30G 161, 162
ULTRA-THIN II INS 0.3 ML 31G 161, 162
ULTRA-THIN II INS 0.5 ML 29G 161, 162
ULTRA-THIN II INS 0.5 ML 30G 161, 162
ULTRA-THIN II INS 0.5 ML 31G 161, 162
ULTRA-THIN II INS SYR 1 ML 29G.. 161, 162
ULTRA-THIN II INS SYR 1 ML 30G.. 161, 162
ULTRA-THIN II PEN NDL 29GX1/2 .. 161, 162
ULTRA-THIN II PEN NDL 31GX5/16 161, 162
UNIFINE OTC PEN NEEDLE 31G 5MM 161, 162
UNIFINE OTC PEN NEEDLE 32G 4MM 161, 162
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL..... 161, 162
UNIFINE PENTIPS 31GX3/16..... 161, 162
UNIFINE PENTIPS 32G 4MM..... 161, 162
UNIFINE PENTIPS 32GX1/4..... 161, 162
UNIFINE PENTIPS 33GX5/32..... 161, 162
UNIFINE PENTIPS 6MM 31G..... 161, 162
UNIFINE PENTIPS 8MM 31G 31GX8MM, SHORT, STRL..... 161, 162
UNIFINE PENTIPS MAX 30GX3/16... 161, 162
UNIFINE PENTIPS PLUS 29GX1/2 .... 161, 162
UNIFINE PENTIPS PLUS 30GX3/16 .. 161, 162
UNIFINE PENTIPS PLUS 31G 5MM .. 161, 162
UNIFINE PENTIPS PLUS 31GX1/4 .... 161, 162
UNIFINE PENTIPS PLUS 32GX5/32 .. 161, 162
UNIFINE PENTIPS PLUS 33GX5/32 .. 161, 162
UNIFINE PROTECT 30G 5MM.... 161, 162
UNIFINE PROTECT 30G 8MM.... 161, 162
UNIFINE PROTECT 32G 4MM.... 161, 162
UNIFINE SAFECONTROL 30G 5MM 161, 162
UNIFINE SAFECONTROL 30G 8MM 161, 162
UNIFINE SAFECONTROL 31G 5MM 161, 162
UNIFINE SAFECONTROL 31G 6MM 161, 162
UNIFINE SAFECONTROL 31G 8MM 161, 162
UNIFINE SAFECONTROL 32G 4MM 161, 162
UNIFINE ULTR PEN NDL 34G 3.5MM 161, 162
UNIFINE ULTRA PEN NDL 29G 12MM 161, 162
UNIFINE ULTRA PEN NDL 31G 5MM 161, 162
UNIFINE ULTRA PEN NDL 31G 6MM 161, 162
UNIFINE ULTRA PEN NDL 31G 8MM 161, 162
UNIFINE ULTRA PEN NDL 32G 4MM 161, 162

UNIFINE ULTRA PEN NDL 32G 6MM 161, 162
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 100 MCG, 150 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG 272
UPTRAVI ORAL TABLETS,DOSE PACK 272
V
VALCHLOR..... 196
VALTOCO 73
VANFLYTA 250
VANISHPOINT 0.5 ML 30GX1/2 . 161, 162
VANISHPOINT INS 0.5 ML 30G 8MM OUTER 161, 162
VANISHPOINT INS 1 ML 30GX3/16 . 161, 162
VANISHPOINT U-100 29X1/2 SYR.... 161, 162
VELSIPITY 100
VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG..... 339
VENCLEXTA STARTING PACK 339
VEOZAH 107
VEPPANU 340
VERIFINE INS SYR 1 ML 29G 1/2 ..... 161, 162
VERIFINE PEN NEEDLE 29G 12MM 161, 162
VERIFINE PEN NEEDLE 31G 5MM .. 161, 162
VERIFINE PEN NEEDLE 31G X 6MM 161, 162
VERIFINE PEN NEEDLE 31G X 8MM 161, 162
VERIFINE PEN NEEDLE 32G 6MM .. 161, 162
VERIFINE PEN NEEDLE 32G X 4MM 161, 162
VERIFINE PEN NEEDLE 32G X 5MM 161, 162
VERIFINE PLUS PEN NDL 31G 5MM161, 162
VERIFINE PLUS PEN NDL 31G 8MM161, 162
VERIFINE PLUS PEN NDL 32G 4MM161, 162
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 161, 162
VERIFINE SYRING 0.5 ML 29G 1/2 .. 161, 162
VERIFINE SYRING 1 ML 31G 5/16 ... 161, 162
VERIFINE SYRNG 0.3 ML 31G 5/16.. 161, 162
VERIFINE SYRNG 0.5 ML 31G 5/16.. 161, 162
VERQUVO 341
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 161, 162
VERZENIO..... 2
vigabatrin 342
vigadrone..... 342
vigpoder 342
VITRAKVI ORAL CAPSULE 100 MG, 25 MG 174
VITRAKVI ORAL SOLUTION 174
VIZIMPRO 63
VONJO 227
VOQUEZNA 345
VORANIGO 346
voriconazole oral suspension for reconstitution..... 347
VOSEVI..... 281
VOWST 103
VUMERITY 77
VYALEV 111
VYNDAMAX..... 294
W
WEBCOL ALCOHOL PREPS 20'S,LARGE 162
WEGOVY ORAL..... 276
WEGOVY SUBCUTANEOUS PEN INJECTOR 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML 276
WELIREG..... 37
WINREVAIR..... 287
WM UNIFINE PENTIP PLUS 8MM 31G W/ SAFETY CLICK..... 162

X
XALKORI ORAL CAPSULE 59
XALKORI ORAL PELLET 150 MG, 20 MG, 50 MG 60
XDEMVY 191
XERMELO 297
XIFAXAN ORAL TABLET 200 MG, 550 MG 259
XOLAIR 222
XOSPATA 118
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (10 MG X 4), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1), 80MG TWICE WEEK (160 MG/WEEK) 273
XTANDI ORAL CAPSULE 94
XTANDI ORAL TABLET 40 MG, 80 MG 94
Y
YESINTEK 332, 333, 334
YONSA 4
yulithira oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg 101
YUTREPIA 320
Z
ZEJULA 212
ZELBORAF 338
ZENBEXUS 141
ZTALMY 115
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG 352
ZYDELIG 144
ZYKADIA 55
ZYMFENTRA 151



Verda Health Plan

1-888-256-5123 , TTY 711 | verdahealthcare.com

HPMS Approved Formulary File Submission
ID: 00027344 Version **7** Approved **10/23/2026**

This formulary was updated on **11 /01/2027.** For more recent information or other questions, please contact Member Service at 1-888-256-5123 (TTY users should call 711), 7 days a week / 8am – 8pm PST, or visit www.Verdahealthcare.com.

Hours of Operations: 8:00 a.m. – 8:00 p.m. 7 days a week (except Thanksgiving and Christmas) from October 1 to March 31 and 8:00 a.m. – 8:00 p.m. Monday through Friday (except holidays) from April 1 through September 30